

Datasheet for ABIN6942313  
**anti-Calcitonin antibody (AA 85-116) (HRP)**



[Go to Product page](#)

## Overview

Quantity:	100 µL
Target:	Calcitonin (Calca)
Binding Specificity:	AA 85-116
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Calcitonin antibody is conjugated to HRP
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))

## Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human Calcitonin
Isotype:	IgG
Cross-Reactivity:	Mouse
Predicted Reactivity:	Human,Rat,Dog,Pig,Rabbit,Guinea Pig
Purification:	Purified by Protein A.

## Target Details

Target:	Calcitonin (Calca)
Alternative Name:	Calcitonin ( <a href="#">Calca Products</a> )

## Target Details

Background:	<p>Synonyms: Alpha CGRP, CALC 1, CALC A, CALC1, CALCA, Calcitonin related polypeptide alpha, CGRP 1, CGRP, CGRP I, CGRP-1, CGRPI, CGRP1, CT, Katalcalcin, KC, MGC126648, alpha type CGRP, calcitonin 1, calcitonin gene related peptide 1, calcitonin gene related peptide I, calcitonin isoform CT preproprotein.</p> <p>Background: Calcitonin is a 32 amino acid peptide hormone synthesized by the parafollicular cells of the thyroid. It causes a rapid, but short lived, reduction in serum calcium and phosphate by promoting the incorporation of those ions in the bones. This effect is opposite to that of parathyroid hormone. Staining for calcitonin may be used for the identification of a spectrum of C cell proliferative abnormalities ranging from C cell hyperplasia to invasive tumors. Staining for calcitonin in medullary carcinoma of the thyroid produces a fine granular pattern in the cytoplasm. Amyloid deposits within the tumor may also exhibit varying degrees of calcitonin activity.</p>
-------------	--

Gene ID:	796
----------	-----

UniProt:	<a href="#">P01258</a>
----------	------------------------

## Application Details

Application Notes:	WB 1:300-5000 IHC-P 1:200-400 IHC-F 1:100-500
--------------------	---

Restrictions:	For Research Use only
---------------	-----------------------

## Handling

Format:	Liquid
Concentration:	1 µg/µL
Buffer:	Aqueous buffered solution containing 0.01M TBS ( pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.

## Handling

---

Expiry Date: 12 months