antibodies -online.com





anti-CASP14 antibody



Go to Product page

()	11/0	K\ /	iew	1
	\cup	'I V/I	$\square \vee \vee$	ı

Quantity:	100 μL	
Target:	CASP14	
Reactivity:	Human, Mouse, Rat	
Host:	Rabbit	
Clonality:	Monoclonal	
Conjugate:	This CASP14 antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunohistochemistry (Paraffinembedded Sections) (IHC (p)), Immunofluorescence (Cultured Cells) (IF (cc)), Flow Cytometry (FACS)	

Product Details

Target:

Froduct Details	
Immunogen:	Human Caspase-14 aa 100-200
Clone:	8C4
Isotype:	IgG
Cross-Reactivity:	Human, Mouse, Rat
Purification:	Purified by Protein A.
Target Details	

Alternative Name: Caspase-14 (CASP14 Products)

CASP14

Target Details

Background:	Synonyms: Caspase-14, CASP-14, CASP14	
	Background: Non-apoptotic caspase involved in epidermal differentiation. Is the predominant	
	caspase in epidermal stratum corneum (PubMed:15556625). Seems to play a role in	
	keratinocyte differentiation and is required for cornification. Regulates maturation of the	
	epidermis by proteolytically processing filaggrin (By similarity). In vitro has a preference for the	
	substate [WY]-X-X-D motif and is active on the synthetic caspase substrate WEHD-ACF	
	(PubMed:16854378, PubMed:19960512). Involved in processing of prosaposin in the epidermis	
	(By similarity). May be involved in retinal pigment epithelium cell barrier function	
	(PubMed:25121097). Involved in DNA degradation in differentiated keratinocytes probably by	
	cleaving DFFA/ICAD leading to liberation of DFFB/CAD (PubMed:24743736).	
Gene ID:	23581	
UniProt:	P31944	
Application Details		
Application Notes:	WB 1:300-5000	
	FCM 1:20-100	
	IHC-P 1:200-400	
	IF(ICC) 1:50-200	
	IHC()	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 1xTBS (pH 7.4), 1 % BSA, 40 %Glycerol and 0.05 %	
	Sodium Azide.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
	handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Store at -20°C for 12 months.	

	lI	1:
-	เวทก	111111
	land	11110

Expiry Date:

12 months