antibodies -online.com





anti-CREB5 antibody (AA 21-120) (Alexa Fluor 555)



\sim	
()\/\	rview
\circ	

Quantity:	100 μL	
Target:	CREB5	
Binding Specificity:	AA 21-120	
Reactivity:	Mouse	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This CREB5 antibody is conjugated to Alexa Fluor 555	
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human CREB5	
Isotype:	IgG	
Cross-Reactivity:	Mouse	
Predicted Reactivity:	Human,Rat,Dog,Cow,Horse,Chicken	
Purification:	Purified by Protein A.	

Target Details

Target:	CREB5
Alternative Name:	CREB5 (CREB5 Products)

Target Details

Background:	Synonyms: cAMP response element binding protein 5, cAMP response element binding protein	
	CRE Bpa, cAMP response element-binding protein CREBPa, cAMP responsive element binding	
	protein 5, cAMP responsive element binding protein 5 isoform alpha, cAMP-responsive	
	element-binding protein 5, CRE BPA, CRE-BPa, CREB 5, CREB-5, CREB5, CREB5_HUMAN,	
	CREBPA, cyclic AMP responsive element binding protein 5, Cyclic AMP-responsive element-	
	binding protein 5.	
	Background: The product of this gene belongs to the CRE (cAMP response element)-binding	
	protein family. Members of this family contain zinc-finger and bZIP DNA-binding domains. The	
	encoded protein specifically binds to CRE as a homodimer or a heterodimer with c-Jun or CRE-	
	BP1, and functions as a CRE-dependent trans-activator. Alternatively spliced transcript variants	
	encoding different isoforms have been identified. [provided by RefSeq, Jul 2008]	
Gene ID:	9586	
UniProt:	Q02930	
Pathways:	Thyroid Hormone Synthesis	
Application Details		
Application Notes:	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and	
	50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
	handled by trained staff only.	
	-20 °C	
Storage:	-20 °C	

1	1 11	١٠
\vdash	land	unc
	ıarıa	11110

Expiry Date:

12 months