# antibodies -online.com





## anti-CTU2 antibody (AA 301-400) (Alexa Fluor 350)



Go to Product page

$\sim$			
	N/P	r\/	i⊢₩

Quantity:	100 μL
Target:	CTU2
Binding Specificity:	AA 301-400
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CTU2 antibody is conjugated to Alexa Fluor 350
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human CTU2/C16orf84
Isotype:	IgG
Cross-Reactivity:	Mouse
Predicted Reactivity:	Human,Rat,Cow,Sheep,Horse
Purification:	Purified by Protein A.

### Target Details

Target:	CTU2
Alternative Name:	CTU2 (CTU2 Products)

#### **Target Details**

rarget Details		
Background:	Synonyms: C16orf84, ctu2, CTU2_HUMAN, Cytoplasmic tRNA 2-thiolation protein 2, cytosolic	
	thiouridylase subunit 2 homolog (S. pombe), NCS2, PF0432.	
	Background: CTU2 is a 515 amino acid cytoplasmic protein that plays a role in the 2-thiolation	
	of mcm(5)S(2)U at wobble positions of tRNA. CTU2 forms a complex with CTU1 and Urm1, and	
	may also form a separate heterodimer with CTU1 to ligate sulfur from thiocarboxylated Urm1	
	onto tRNA. Existing as three alternatively spliced isoforms, the gene encoding CTU2 maps to	
	human chromosome 16q24.3. Chromosome 16 encodes over 900 genes and comprises nearly	
	3 % of the human genome. The GAN gene is located on chromosome 16 and, with mutation,	
	may lead to giant axonal neuropathy, a nervous system disorder characterized by increasing	
	malfunction with growth. The rare disorder Rubinstein-Taybi syndrome is also associated with	
	chromosome 16, as is Crohn's disease, which is a gastrointestinal inflammatory condition.	
Gene ID:	348180	
UniProt:	Q2VPK5	
Application Details		
Application Notes:	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and	
	50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
	handled by trained staff only.	

Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.

-20 °C

12 months

Storage:

Expiry Date:

Storage Comment: