antibodies - online.com







anti-DEXI antibody (AA 51-95)



()	1/0	r\ /1	014	
()	ve	I V I	-v	V

Quantity:	100 μL	
Target:	DEXI	
Binding Specificity:	AA 51-95	
Reactivity:	Mouse	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This DEXI antibody is un-conjugated	
Application:	ELISA, Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffinembedded Sections) (IF (p)), Immunohistochemistry (Paraffinembedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro)), Immunocytochemistry (ICC)	

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human DEXI
Isotype:	IgG
Cross-Reactivity:	Mouse
Predicted Reactivity:	Human,Rat,Cow,Sheep,Horse
Purification:	Purified by Protein A.

Target Details

Target:	DEXI

Target Details

rarget betano		
Alternative Name:	DEXI (DEXI Products)	
Background:	Synonyms: Dexamethasone-induced protein, DEXI, DEXI_HUMAN, MYLE, Protein MYLE.	
	Background: DEXI is a 95 amino acid protein belonging to the DEXI family. Induced by	
	dexamethasone, DEXI is expressed in brain, liver, pancreas, placenta and lung, with highest	
	levels in heart. DEXI is also up-regulated in emphysematous lung compared to normal lung. The	
	gene encoding DEXI maps to human chromosome 16, which encodes over 900 genes and	
	comprises nearly 3 % of the human genome. The GAN gene is located on chromosome 16 and,	
	with mutation, may lead to giant axonal neuropathy, a nervous system disorder characterized	
	by increasing malfunction with growth. The rare disorder Rubinstein-Taybi syndrome is also	
	associated with chromosome 16, as is Crohn's disease, a gastrointestinal inflammatory	
	condition.	
Gene ID:	28955	
UniProt:	095424	
Application Details		
Application Notes:	ELISA 1:500-1000	
	IHC-P 1:200-400	
	IHC-F 1:100-500	
	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
	ICC 1:100-500	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.	
Storage:	4 °C,-20 °C	

Handling

Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.
Expiry Date:	12 months