

Datasheet for ABIN6943001

anti-DIABLO antibody



Oo to modulot page

_				
()	ve.	rv/	101	Λ

Quantity:	100 μL	
Target:	DIABLO	
Reactivity:	Human, Mouse, Rat	
Host:	Rabbit	
Clonality:	Monoclonal	
Conjugate:	This DIABLO antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunohistochemistry (Paraffinembedded Sections) (IHC (p)), Flow Cytometry (FACS), Immunofluorescence (Cultured Cells) (IF (cc))	

Product Details

Immunogen:	Recombinant protein within DIABLO 200 amino acids to the C-terminus	
Clone:	9A7	
Isotype:	IgG	
Cross-Reactivity:	Human, Mouse, Rat	
Purification:	Purified by Protein A.	
Target Details		

Larget Details

Target:	DIABLO
Alternative Name:	DIABLO (DIABLO Products)

Target Details

Background:	Synonyms: Diablo homolog, mitochondrial, Direct IAP-binding protein with low pl, Second	
	mitochondria-derived activator of caspase, Smac, DIABLO	
	Background: Promotes apoptosis by activating caspases in the cytochrome c/Apaf-1/caspase	
	9 pathway. Acts by opposing the inhibitory activity of inhibitor of apoptosis proteins (IAP).	
	Inhibits the activity of BIRC6/bruce by inhibiting its binding to caspases. Isoform 3 attenuates	
	the stability and apoptosis-inhibiting activity of XIAP/BIRC4 by promoting XIAP/BIRC4	
	ubiquitination and degradation through the ubiquitin-proteasome pathway. Isoform 3 also	
	disrupts XIAP/BIRC4 interacting with processed caspase-9 and promotes caspase-3 activation	
	Isoform 1 is defective in the capacity to down-regulate the XIAP/BIRC4 abundance.	
Gene ID:	56616	
UniProt:	Q9NR28	
Pathways:	Apoptosis, Caspase Cascade in Apoptosis, Positive Regulation of Endopeptidase Activity	
Application Details		
Application Notes:	WB 1:300-5000	
	FCM 1:20-100	
	IHC-P 1:200-400	
	IF(ICC) 1:50-200	
	IHC()	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 1xTBS (pH 7.4), 1 % BSA, 40 %Glycerol and 0.05 %	
	Sodium Azide.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
	handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Store at -20°C for 12 months.	

	1	l:
-	ココロロ	urnen
	Hand	III IU

Expiry Date:

12 months