antibodies -online.com





anti-EXOC3L2 antibody (AA 151-250) (Biotin)



Overview

Quantity:	100 μL
Target:	EXOC3L2
Binding Specificity:	AA 151-250
Reactivity:	Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This EXOC3L2 antibody is conjugated to Biotin
Application:	ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human EXOC3L2
Isotype:	IgG
Cross-Reactivity:	Rat
Predicted Reactivity:	Human,Mouse,Cow
Purification:	Purified by Protein A.

Target Details

Target:	EXOC3L2
Alternative Name:	EXOC3L2 (EXOC3L2 Products)

Target Details

Bac	kaı	$r \cap I$	ın	u.

Synonyms: Exocyst complex component 3 like, Exocyst complex component 3 like protein 2, FLJ36147, EX3L2_HUMAN, HBV X transactivated gene 7 protein, HBV XAg transactivated protein 7, MGC16332, OTTHUMP00000207128, OTTMUSP00000045827, Protein 7 transactivated by hepatitis B virus X antigen (HBxAg), XTP7.

Background: Exocytosis is crucial in membrane trafficking and it mediates hormone and neurotransmitter secretion out of the cell, as well as the incorporation of membrane proteins and lipids to the plasma membrane. It is crucial for cell-cell communication, cell growth and cell polarity. The exocyst complex is a multi-protein complex that consists of Sec3, Sec5, Sec6, Sec8, Sec10, Sec15, Exo70 and Exo84, and is essential for targeting exocytic vesicles to specific docking sites on the plasma membrane. The exocyst complex inhibits tubulin polymerization in vitro, suggesting that the exocyst complex is important for modulating the microtubule dynamics that underlie exocytosis. ExoC3L2 (Exocyst complex component 3-like protein 2), also known as HBV X-transactivated gene 7 protein, is a 409 amino acid protein that is related to the Sec6 component of the exocyst complex.

Gene ID:

90332

UniProt:

02M3D2

Application Details

Application Notes:

IHC-P 1:200-400

IHC-F 1:100-500

Restrictions:

For Research Use only

Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C for 12 months.

ш	land	linc	٩
	ıanıu	11111	J

Expiry Date:

12 months