

[Go to Product page](#)

Datasheet for ABIN6943362

anti-EXOSC4 antibody (AA 51-150) (Alexa Fluor 488)

Overview

| | |
|----------------------|---|
| Quantity: | 100 µL |
| Target: | EXOSC4 |
| Binding Specificity: | AA 51-150 |
| Reactivity: | Mouse |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This EXOSC4 antibody is conjugated to Alexa Fluor 488 |
| Application: | Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)) |

Product Details

| | |
|-----------------------|--|
| Immunogen: | KLH conjugated synthetic peptide derived from human EXOSC4 |
| Isotype: | IgG |
| Cross-Reactivity: | Mouse |
| Predicted Reactivity: | Human,Rat,Dog,Cow,Sheep,Pig,Horse |
| Purification: | Purified by Protein A. |

Target Details

| | |
|-------------------|--|
| Target: | EXOSC4 |
| Alternative Name: | EXOSC4 (EXOSC4 Products) |

Target Details

| | |
|-------------|--|
| Background: | <p>Synonyms: EXOSC 4, Exosome complex component RRP41, Exosome complex exonuclease RRP41, Exosome component 4, Exosome component Rrp41, FLJ20591, hRrp41p, p12A, EXOS4_HUMAN, Ribosomal RNA processing protein 41, RRP 41, RRP41, RRP41A, Rrp41p, SKI 6, SKI6, Ski6p.</p> <p>Background: The exosome is a multisubunit complex composed of several highly conserved subunits, some of which are 3 to 5 exoribonucleases. The complex is involved in a variety of cellular processes and is responsible for degrading unstable mRNAs that contain AU-rich (ARE) elements in their untranslated 3' region. EXOSC4 (exosome component 4), also known as SKI6, RRP41 or p12A, is a 245 amino acid protein that localizes to both the nucleus and the cytoplasm and shares 96 % sequence identity with its mouse counterpart. Functioning as a component of the exosome complex, EXOSC4 exhibits 3'-5' exonuclease activity and is required for the 3'-processing of 7S pre-rRNA to mature 5.8S rRNA. The gene encoding EXOSC4 maps to human chromosome 8, which consists of nearly 146 million base pairs, houses more than 800 genes and is associated with a variety of diseases and malignancies.</p> |
| Gene ID: | 54512 |
| UniProt: | Q9NPD3 |

Application Details

| | |
|--------------------|--|
| Application Notes: | IF(IHC-P) 1:50-200 IF(IHC-F) 1:50-200 IF(ICC) 1:50-200 |
| Restrictions: | For Research Use only |

Handling

| | |
|--------------------|--|
| Format: | Liquid |
| Concentration: | 1 µg/µL |
| Buffer: | Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol. |
| Preservative: | ProClin |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only. |
| Storage: | -20 °C |

Handling

| | |
|------------------|---|
| Storage Comment: | Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles. |
| Expiry Date: | 12 months |