

#### Datasheet for ABIN6943367

# anti-EXOSC4 antibody (AA 51-150) (AbBy Fluor® 750)

Purified by Protein A.



1	Р	rv	16	٦/	M

Overview		
Quantity:	100 μL	
Target:	EXOSC4	
Binding Specificity:	AA 51-150	
Reactivity:	Mouse	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This EXOSC4 antibody is conjugated to AbBy Fluor® 750	
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	
Product Details		
Immunogen:	KLH conjugated synthetic peptide derived from human EXOSC4	
Isotype:	IgG	
Cross-Reactivity:	Mouse	
Predicted Reactivity:	Human,Rat,Dog,Cow,Sheep,Pig,Horse	

## Target Details

Purification:

Target: EXOSC4 Alternative Name: EXOSC4 (EXOSC4 Products)

#### Target Details

Background:	Synonyms: EXOSC 4, Exosome complex component RRP41, Exosome complex exonuclease
	RRP41, Exosome component 4, Exosome component Rrp41, FLJ20591, hRrp41p, p12A,
	EXOS4_HUMAN, Ribosomal RNA processing protein 41, RRP 41, RRP41, RRP41A, Rrp41p, SKI
	6, SKI6, Ski6p.
	Background: The exosome is a multisubunit complex composed of several highly conserved
	subunits, some of which are 3 to 5 exoribonucleases. The complex is involved in a variety of
	cellular processes and is responsible for degrading unstable mRNAs that contain AU-rich (ARE)
	elements in their untranslated 3 region. EXOSC4 (exosome component 4), also known as SKI6,
	RRP41 or p12A, is a 245 amino acid protein that localizes to both the nucleus and the
	cytoplasm and shares 96 % sequence identity with its mouse counterpart. Functioning as a
	component of the exosome complex, EXOSC4 exhibits 3'-5' exonuclease activity and is required
	for the 3'-processing of 7S pre-RNA to mature 5.8S rRNA. The gene encoding EXOSC4 maps to
	human chromosome 8, which consists of nearly 146 million base pairs, houses more than 800
	genes and is associated with a variety of diseases and malignancies.
Gene ID:	54512
UniProt:	Q9NPD3
Application Details	
Application Notes:	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and
	50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be
	handled by trained staff only.
Storage:	-20 °C

## Handling

Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months