

[Go to Product page](#)

Datasheet for ABIN6943443  
**anti-FCRL1 antibody (AA 251-350)**

## Overview

Quantity:	100 µL
Target:	FCRL1
Binding Specificity:	AA 251-350
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This FCRL1 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunohistochemistry (Frozen Sections) (IHC (fro)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunocytochemistry (ICC)

## Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human FCRL1
Isotype:	IgG
Predicted Reactivity:	Human
Purification:	Purified by Protein A.

## Target Details

Target:	FCRL1
Alternative Name:	FCRL1 ( <a href="#">FCRL1 Products</a> )

## Target Details

Background:	<p>Synonyms: CD307a, Fc receptor homolog 1, Fc receptor like protein 1, Fc receptor-like protein 1, FcR like protein 1, FcR-like protein 1, FCRH 1, FcRH1, FCRL 1, FcRL1, FCRL1_HUMAN, hIFGP 1, hIFGP1, IFGP 1, IFGP family protein 1, IFGP1, Immune receptor translocation associated protein 5, Immune receptor translocation-associated protein 5, immunoglobulin superfamily Fc receptor, gp42, IRTA 5, IRTA5, RP11 367J7.7.</p> <p>Background: This gene encodes a member of the immunoglobulin receptor superfamily and is one of several Fc receptor-like glycoproteins clustered on the long arm of chromosome 1. The encoded protein contains three extracellular C2-like immunoglobulin domains, a transmembrane domain and a cytoplasmic domain with two immunoreceptor-tyrosine activation motifs. This protein may play a role in the regulation of cancer cell growth. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Apr 2009]</p>
-------------	---

Gene ID:	115350
----------	--------

UniProt:	<a href="#">Q96LA6</a>
----------	------------------------

## Application Details

Application Notes:	WB 1:300-5000 ELISA 1:500-1000 IHC-P 1:200-400 IHC-F 1:100-500 IF(IHC-P) 1:50-200 IF(IHC-F) 1:50-200 IF(ICC) 1:50-200 ICC 1:100-500
--------------------	--

Restrictions:	For Research Use only
---------------	-----------------------

## Handling

Format:	Liquid
Concentration:	1 µg/µL
Buffer:	0.01M TBS( pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.

Handling

---

Storage:	4 °C,-20 °C
Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.
Expiry Date:	12 months