

[Go to Product page](#)

Datasheet for ABIN6943444  
**anti-FCRL1 antibody (AA 251-350) (Biotin)**

## Overview

Quantity:	100 µL
Target:	FCRL1
Binding Specificity:	AA 251-350
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This FCRL1 antibody is conjugated to Biotin
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Frozen Sections) (IHC (fro)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))

## Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human FCRL1
Isotype:	IgG
Predicted Reactivity:	Human
Purification:	Purified by Protein A.

## Target Details

Target:	FCRL1
Alternative Name:	FCRL1 ( <a href="#">FCRL1 Products</a> )
Background:	Synonyms: CD307a, Fc receptor homolog 1, Fc receptor like protein 1, Fc receptor-like protein 1,

## Target Details

FcR like protein 1, FcR-like protein 1, FCRH 1, FcRH1, FCRL 1, FcRL1, FCRL1\_HUMAN, hIFGP 1, hIFGP1, IFGP 1, IFGP family protein 1, IFGP1, Immune receptor translocation associated protein 5, Immune receptor translocation-associated protein 5, immunoglobulin superfamily Fc receptor, gp42, IRTA 5, IRTA5, RP11 367J7.7.

Background: This gene encodes a member of the immunoglobulin receptor superfamily and is one of several Fc receptor-like glycoproteins clustered on the long arm of chromosome 1. The encoded protein contains three extracellular C2-like immunoglobulin domains, a transmembrane domain and a cytoplasmic domain with two immunoreceptor-tyrosine activation motifs. This protein may play a role in the regulation of cancer cell growth. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Apr 2009]

Gene ID: 115350

UniProt: [Q96LA6](#)

## Application Details

Application Notes: WB 1:300-5000  
IHC-P 1:200-400  
IHC-F 1:100-500

Restrictions: For Research Use only

## Handling

Format: Liquid

Concentration: 1 µg/µL

Buffer: Aqueous buffered solution containing 0.01M TBS ( pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.

Preservative: ProClin

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.

Storage: -20 °C

Storage Comment: Store at -20°C for 12 months.

Expiry Date: 12 months