

Datasheet for ABIN6943542

anti-SLC2A2 antibody (AA 1-100)



()	ve	r\/i	Δ	۱۸/
\circ	V C	1 V		v v

Quantity:	100 μL
Target:	SLC2A2
Binding Specificity:	AA 1-100
Reactivity:	Human, Rat, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This SLC2A2 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Flow Cytometry (FACS), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunocytochemistry (ICC), Immunohistochemistry (Frozen Sections) (IHC (fro))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human GLUT2
Isotype:	IgG
Cross-Reactivity:	Human, Mouse, Rat
Predicted Reactivity:	Horse
Purification:	Purified by Protein A.

Target Details

SLC2A2 Target:

Target Details

Target Details		
Alternative Name:	GLUT2 (SLC2A2 Products)	
Background:	Synonyms: liver, Glucose Transporter 2, Glucose Transporter GLUT2, Glucose transporter type	
	2, Glucose transporter type 2 liver, GLUT-2, GLUT2, GLUT 2, GTR2_HUMAN, SLC2A2, Solute	
	carrier family 2 (facilitated glucose transporter) member 2, Solute carrier family 2 facilitated	
	glucose transporter member 2, Solute carrier family 2, facilitated glucose transporter member	
	2.	
	Background: Glucose transporter 2 isoform is an integral plasma membrane glycoprotein of the	
	liver, islet beta cells, intestine, and kidney epithelium. It mediates facilitated bidirectional	
	glucose transport. Because of its low affinity for glucose, it has been suggested as a glucose	
	sensor. [provided by RefSeq, Jul 2008].	
Gene ID:	6514	
UniProt:	P11168	
Pathways:	Warburg Effect	
Application Details		
Application Notes:	WB 1:300-5000	
	ELISA 1:500-1000	
	FCM 1:20-100	
	IHC-P 1:200-400	
	IHC-F 1:100-500	
	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
	ICC 1:100-500	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	

Handling

	handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.
Expiry Date:	12 months