

### Datasheet for ABIN6943692

# anti-HNRNPM antibody (AA 51-150) (Biotin)



_			
( )	V/C	rv	٨/

Quantity:	100 μL	
Target:	HNRNPM	
Binding Specificity:	AA 51-150	
Reactivity:	Mouse, Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This HNRNPM antibody is conjugated to Biotin	
Application:	ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))	

#### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human hnRNP M
Isotype:	IgG
Cross-Reactivity:	Mouse, Rat
Predicted Reactivity:	Human,Cow,Sheep,Pig,Horse,Chicken
Purification:	Purified by Protein A.

## Target Details

Target:	HNRNPM	
Alternative Name:	hnRNP M (HNRNPM Products)	

#### **Target Details**

Target Details	
Background:	Synonyms: CEA receptor, CEAR, Heterogeneous nuclear ribonucleoprotein M, Heterogenous nuclear ribonucleoprotein M4, hnRNA binding protein M4, hnRNP M, Hnrnpm, HNRNPM4, HNRPM, HNRPM_HUMAN, HNRPM4, HTGR1, M3 antibody M4 antibody M4 protein, N-acetylglucosamine receptor 1, NAGR1, Ribonucleotide Protein, SAF A.  Background: This gene belongs to the subfamily of ubiquitously expressed heterogeneous nuclear ribonucleoproteins (hnRNPs). The hnRNPs are RNA binding proteins and they complex with heterogeneous nuclear RNA (hnRNA). These proteins are associated with pre-mRNAs in the nucleus and appear to influence pre-mRNA processing and other aspects of mRNA metabolism and transport. While all of the hnRNPs are present in the nucleus, some seem to shuttle between the nucleus and the cytoplasm. The hnRNP proteins have distinct nucleic acid binding properties. The protein encoded by this gene has three repeats of quasi-RRM domains that bind to RNAs. This protein also constitutes a monomer of the N-acetylglucosamine-specific receptor which is postulated to trigger selective recycling of immature GlcNAc-bearing thyroglobulin molecules. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Aug 2011]
Gene ID:	4670
UniProt:	P52272
Application Details	
Application Notes:	IHC-P 1:200-400 IHC-F 1:100-500
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.

-20 °C

Storage:

## Handling

Storage Comment:	Store at -20°C for 12 months.
Expiry Date:	12 months