antibodies -online.com





anti-ITPK1 antibody (AA 1-100)



Go to Product page

\sim	
()\/\	rview
\circ	

Quantity:	100 μL
Target:	ITPK1
Binding Specificity:	AA 1-100
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ITPK1 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunocytochemistry (ICC), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human ITPK1
Isotype:	IgG
Cross-Reactivity:	Human, Mouse, Rat
Predicted Reactivity:	Dog,Cow,Pig,Horse,Chicken,Rabbit,Zebrafish
Purification:	Purified by Protein A.

Target Details

	Target:	ITPK1
--	---------	-------

Target Details

Alternative Name:	ITPK1 (ITPK1 Products)
Background:	Synonyms: 4)P(3) 5/6-kinase, 4-trisphosphate 5/6-kinase, Inositol 1 3 4 triphosphate 5/6 kinase
	Inositol 1 3 4 trisphosphate 5/6 kinase, Inositol 1, Inositol tetrakisphosphate 1 kinase, Inositol
	triphosphate 5/6 kinase, Inositol-tetrakisphosphate 1-kinase, Inositol-triphosphate 5/6-kinase,
	Ins(1 3 4)P(3) 5/6 kinase, Ins(1, ITPK 1, itpk1, ITPK1_HUMAN, ITRPK 1, ITRPK1.
	Background: Intracellular calcium concentrations are regulated by a family of inositol
	phosphates, which act as second messengers in the calcium cell signaling pathway. ITPK1
	(inositol 1,3,4-triphosphate 5/6 kinase), also known as ITRPK1, is a 414 amino acid monomer
	that belongs to the ITPK1 family and exists as two alternatively spliced isoforms. Widely
	expressed, ITPK1 is found at highest levels in brain, followed by heart, skeletal muscle, kidney,
	pancreas, liver, placenta and lung. ITPK1 contains one ATP-grasp domain and has been found
	to phosphorylate various.
Gene ID:	3705
UniProt:	Q13572
Application Details	
Application Notes:	WB 1:300-5000
	ELISA 1:500-1000
	IHC-P 1:200-400
	IHC-F 1:100-500
	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
	ICC 1:100-500
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be

Handling

	handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.
Expiry Date:	12 months