antibodies - online.com







anti-PPFIA2 antibody (AA 531-630) (Alexa Fluor 750)



()	1/0	r\ /1	014	
()	ve	I V I	-v	V

Quantity:	100 μL	
Target:	PPFIA2	
Binding Specificity:	AA 531-630	
Reactivity:	Mouse, Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This PPFIA2 antibody is conjugated to Alexa Fluor 750	
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human Liprin alpha 2
Isotype:	IgG
Cross-Reactivity:	Mouse, Rat
Predicted Reactivity:	Human,Pig,Horse,Chicken,Rabbit
Purification:	Purified by Protein A.

Target Details

Target:	PPFIA2	
Alternative Name:	Liprin alpha 2 (PPFIA2 Products)	

Target Details

Background:	Synonyms: LIPA2_HUMAN, Liprin-alpha-2, PPFIA2, Protein tyrosine phosphatase receptor type f	
	polypeptide interacting protein alpha 2, Protein tyrosine phosphatase receptor type f	
	polypeptide-interacting protein alpha-2, Protein tyrosine phosphatase, receptor type, f	
	polypeptide (PTPRF), interacting protein (liprin), alpha 2, PTPRF interacting protein alpha 2,	
	PTPRF-interacting protein alpha-2.	
	Background: The protein encoded by this gene is a member of the LAR protein-tyrosine	
	phosphatase-interacting protein (liprin) family. Liprins interact with members of LAR family of	
	transmembrane protein tyrosine phosphatases, which are known to be important for axon	
	guidance and mammary gland development. It has been proposed that liprins are multivalent	
	proteins that form complex structures and act as scaffolds for the recruitment and anchoring	
	of LAR family of tyrosine phosphatases. This protein has been shown to bind the	
	calcium/calmodulin-dependent serine protein kinase (MAGUK family) protein (also known as	
	CASK) and proposed to regulate higher-order brain functions in mammals. Alternative splicing	
	results in multiple transcript variants. [provided by RefSeq, Sep 2013]	
Gene ID:	8499	
UniProt:	075334	
Application Details		
• •	JE(UJO R) 4 FO 000	
Application Notes:	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200 IF(ICC) 1:50-200	
	IF(ICC) 1.50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and	
	50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
	handled by trained staff only.	
Storage:	-20 °C	

Handling

Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months