antibodies -online.com







anti-MADD antibody (AA 851-950)



()	1/0	r\ /1	014	
()	ve	I V I	-v	V

Quantity:	100 μL
Target:	MADD
Binding Specificity:	AA 851-950
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This MADD antibody is un-conjugated
Application:	ELISA, Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunofluorescence (Cultured Cells) (IF (cc)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunocytochemistry (ICC), Immunohistochemistry (Frozen Sections) (IHC (fro))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human DENN
Isotype:	IgG
Cross-Reactivity:	Mouse
Predicted Reactivity:	Human,Rat,Dog,Cow,Sheep,Horse
Purification:	Purified by Protein A.
Target Netails	

Larget Details

Target: MADD

Target Details

Alternative Name:	MADD (MADD Products)	
Background:	Synonyms: Differentially expressed in normal and neoplastic cells, FLJ35600, IG20, Insulinoma	
	glucagonoma clone 20, KIAA0358, MADD, MADD_HUMAN, MAP kinase-activating death	
	domain protein, Rab3 GDP/GTP exchange factor, RAB3GEP, DENN	
	Background: Tumor necrosis factor alpha (TNF-alpha) is a signaling molecule that interacts	
	with one of two receptors on cells targeted for apoptosis. The apoptotic signal is transduced	
	inside these cells by cytoplasmic adaptor proteins. The protein encoded by this gene is a death	
	domain-containing adaptor protein that interacts with the death domain of TNF-alpha receptor	
	1 to activate mitogen-activated protein kinase (MAPK) and propagate the apoptotic signal. It is	
	membrane-bound and expressed at a higher level in neoplastic cells than in normal cells.	
	Several transcript variants encoding different isoforms have been described for this gene.	
	[provided by RefSeq, Jul 2008]	
Gene ID:	8567	
UniProt:	Q8WXG6	
Pathways:	Caspase Cascade in Apoptosis	
Application Details		
Application Notes:	ELISA 1:500-1000	
Application Notes.	IHC-P 1:200-400	
	IHC-F 1:200-400	
	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
	ICC 1:100-500	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	

Handling

	handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.
Expiry Date:	12 months