antibodies -online.com





anti-MADD antibody (AA 851-950) (AbBy Fluor® 680)



_		
()Ver	view	

Quantity:	100 μL
Target:	MADD
Binding Specificity:	AA 851-950
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This MADD antibody is conjugated to AbBy Fluor® 680
Application:	Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunofluorescence (Cultured Cells) (IF (cc))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human DENN
Isotype:	IgG
Cross-Reactivity:	Mouse
Predicted Reactivity:	Human,Rat,Dog,Cow,Sheep,Horse
Purification:	Purified by Protein A.

Target Details

Target:	MADD
Alternative Name:	MADD (MADD Products)

Target Details

•	
Background:	Synonyms: Differentially expressed in normal and neoplastic cells, FLJ35600, IG20, Insulinoma
	glucagonoma clone 20, KIAA0358, MADD, MADD_HUMAN, MAP kinase-activating death
	domain protein, Rab3 GDP/GTP exchange factor, RAB3GEP, DENN
	Background: Tumor necrosis factor alpha (TNF-alpha) is a signaling molecule that interacts
	with one of two receptors on cells targeted for apoptosis. The apoptotic signal is transduced
	inside these cells by cytoplasmic adaptor proteins. The protein encoded by this gene is a death
	domain-containing adaptor protein that interacts with the death domain of TNF-alpha receptor
	1 to activate mitogen-activated protein kinase (MAPK) and propagate the apoptotic signal. It is
	membrane-bound and expressed at a higher level in neoplastic cells than in normal cells.
	Several transcript variants encoding different isoforms have been described for this gene.
	[provided by RefSeq, Jul 2008]
Gene ID:	8567
UniProt:	Q8WXG6
Pathways:	Caspase Cascade in Apoptosis
Application Details	
Application Notes:	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and
	50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be
	handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.

ш	land	linc	٩
	ıanıu	11111	J

Expiry Date:

12 months