

Datasheet for ABIN6944059

anti-MDFI antibody (AA 101-200) (Cy7)



Overview

| Quantity: | 100 μL |
|----------------------|---|
| Target: | MDFI |
| Binding Specificity: | AA 101-200 |
| Reactivity: | Human |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This MDFI antibody is conjugated to Cy7 |
| Application: | Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)) |

Product Details

| Immunogen: | KLH conjugated synthetic peptide derived from human MDFI |
|-----------------------|---|
| Isotype: | IgG |
| Specificity: | In Mice, there is possible cross-reactivity with Glycoprotein endo-alpha-1,2-mannosidase (67 $\%$ homology with immunogen sequence, 53 kDa) |
| Cross-Reactivity: | Human |
| Predicted Reactivity: | Mouse,Rat,Cow,Sheep,Pig,Horse |
| Purification: | Purified by Protein A. |

Target Details

| Target: | MDFI |
|---------------------|--|
| Alternative Name: | MDFI (MDFI Products) |
| Background: | Synonyms: I MF, I mfa, Inhibitor of MyoD family a, Mdfi, MDFI_HUMAN, MyoD family inhibitor, |
| | Myogenic repressor I-mf, OTTHUMP00000016375, OTTHUMP00000016376, |
| | OTTHUMP00000196103, OTTHUMP00000196414, OTTHUMP00000196415. |
| | Background: Inhibits the transactivation activity of the Myod family of myogenic factors and |
| | represses myogenesis. Acts by associating with Myod family members and retaining them in |
| | the cytoplasm by masking their nuclear localization signals. Can also interfere with the DNA- |
| | binding activity of Myod family members. Plays an important role in trophoblast and |
| | chondrogenic differentiation. Regulates the transcriptional activity of TCF7L1/TCF3 by |
| | interacting directly with TCF7L1/TCF3 and preventing it from binding DNA. Binds to the axin |
| | complex, resulting in an increase in the level of free beta-catenin. Affects axin regulation of the |
| | WNT and JNK signaling pathways (By similarity). |
| Gene ID: | 4188 |
| UniProt: | Q99750 |
| Pathways: | Maintenance of Protein Location |
| Application Details | |
| Application Notes: | IF(IHC-P) 1:50-200 |
| | IF(IHC-F) 1:50-200 |
| | IF(ICC) 1:50-200 |
| Restrictions: | For Research Use only |
| Handling | |
| Format: | Liquid |
| Concentration: | 1 μg/μL |
| Buffer: | Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 an 50 % Glycerol. |
| Preservative: | ProClin |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only. |

Handling

| Storage: | -20 °C |
|------------------|---|
| Storage Comment: | Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles. |
| Expiry Date: | 12 months |