

Datasheet for ABIN6944103 anti-MMP13 antibody (AA 65-150)



Go to Product page

_					
	1//	r	Vİ	\triangle	۸/
	V		VI		/ V

Quantity:	100 μL	
Target:	MMP13	
Binding Specificity:	AA 65-150	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This MMP13 antibody is un-conjugated	
Application:	Western Blotting (WB), ELISA, Immunocytochemistry (ICC), Immunohistochemistry (Paraffinembedded Sections) (IHC (p)), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))	

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human MMP13
Isotype:	IgG
Cross-Reactivity:	Human
Predicted Reactivity:	Mouse,Rat,Dog,Cow,Sheep,Pig,Horse,Rabbit
Purification:	Purified by Protein A.

Target Details

Target: MMP13

Target Details

l arget Details		
Alternative Name:	MMP13 (MMP13 Products)	
Background:	Synonyms: CLG 3, CLG3, Collagenase 3, Collagenase3, MMP13, MMP 13, MMP-13, Matrix	
	Metalloproteinase 13, MMP 13, MMP13_HUMAN.	
	Background: Proteins of the matrix metalloproteinase (MMP) family are involved in the	
	breakdown of extracellular matrix in normal physiological processes, such as embryonic	
	development, reproduction, and tissue remodeling, as well as in disease processes, such as	
	arthritis and metastasis. Most MMP's are secreted as inactive proproteins which are activated	
	when cleaved by extracellular proteinases. The protein encoded by this gene cleaves type II	
	collagen more efficiently than types I and III. It may be involved in articular cartilage turnover	
	and cartilage pathophysiology associated with osteoarthritis. The gene is part of a cluster of	
	MMP genes which localize to chromosome 11q22.3. [provided by RefSeq, Jul 2008].	
Gene ID:	4322	
UniProt:	P45452	
Application Details		
Application Notes:	WB 1:300-5000	
	ELISA 1:500-1000	
	IHC-P 1:200-400	
	IHC-F 1:100-500	
	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
	ICC 1:100-500	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
	handled by trained staff only.	

Handling

Storage:	4 °C,-20 °C
Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.
Expiry Date:	12 months