antibodies -online.com







Go to Product page

\sim			
	N/P	r\/	i⊢₩

Quantity:	100 μL
Target:	MYADM
Binding Specificity:	AA 51-150
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This MYADM antibody is un-conjugated
Application:	ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunohistochemistry (Frozen Sections) (IHC (fro)), Immunocytochemistry (ICC)

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human MYADM	
Isotype:	IgG	
Specificity:	This antibody's immunogen sequence has 91 % homology (10/11 residues) with the Rat MYADM protein and is predicted to work with Rat samples	
Cross-Reactivity:	Human	
Predicted Reactivity:	Pig,Horse,Rabbit	
Purification:	Purified by Protein A.	

Target Details

rarget Details		
Target:	MYADM	
Alternative Name:	MYADM (MYADM Products)	
Background:	Synonyms: MYADM, MYADM_HUMAN, myeloid associated differentiation marker, Myeloid	
	upregulated protein, Myeloid-associated differentiation marker, Protein SB135.	
	Background: Myeloid-associated differentiation marker (MYADM) is a member of the MAL	
	family with the unique features of having eight transmembrane regions and a ubiquitous	
	pattern of expression and of being found localized at the plasma membrane. MYADM has been	
	found to be associated with the differentiation of hematopoietic cells or acute promyelocytic	
	leukemia cells. MYADM could serve as a new marker for hematopoietic differentiation and is a	
	target for diagnostic, prognostic and/or therapeutic interventions.	
Gene ID:	91663	
UniProt:	Q96S97	
Application Details		
Application Notes:	WB 1:300-5000	
	ELISA 1:500-1000	
	IHC-P 1:200-400	
	IHC-F 1:100-500	
	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
	ICC 1:100-500	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
	handled by trained staff only.	

Handling

Storage:	4 °C,-20 °C
Storage Comment: Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.	
Expiry Date:	12 months