# antibodies -online.com





## anti-NUBPL antibody (AA 1-100)



#### Overview

Quantity:	100 μL
Target:	NUBPL
Binding Specificity:	AA 1-100
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This NUBPL antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro)), Immunocytochemistry (ICC)

#### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human NUBPL
Isotype:	IgG
Cross-Reactivity:	Human
Predicted Reactivity:	Mouse,Rat,Dog,Cow,Sheep,Horse
Purification:	Purified by Protein A.

#### **Target Details**

Target: NUBPL

### **Target Details**

Target Details			
Alternative Name:	NUBPL (NUBPL Products)		
Background:	Synonyms: C14orf127, FLJ12660, hulnd1, IND1 homolog, Iron-sulfur protein NUBPL, Nubpl,		
	NUBPL_HUMAN, nucleotide binding protein like, Nucleotide-binding protein-like.		
	Background: This gene encodes a member of the Mrp/NBP35 ATP-binding proteins family. The		
	encoded protein is required for the assembly of the respiratory chain NADH dehydrogenase		
	(complex I), an oligomeric enzymatic complex located in the inner mitochondrial membrane.		
	Mutations in this gene cause mitochondrial complex I deficiency. Alternative splicing results in		
	multiple transcript variants. [provided by RefSeq, May 2014]		
Gene ID:	80224		
UniProt:	Q8TB37		
Application Details			
Application Notes:	WB 1:300-5000		
	ELISA 1:500-1000		
	IHC-P 1:200-400		
	IHC-F 1:100-500		
	IF(IHC-P) 1:50-200		
	IF(IHC-F) 1:50-200		
	IF(ICC) 1:50-200		
	ICC 1:100-500		
Restrictions:	For Research Use only		
Handling			
Format:	Liquid		
Concentration:	1 μg/μL		
Buffer:	0.01M TBS( pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.		
Preservative:	ProClin		
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be		
	handled by trained staff only.		
Storage:	4 °C,-20 °C		
Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.		

		1 .	
ш	land	linc	٩
	ıanıu	11111	J

Expiry Date:

12 months