antibodies .- online.com







anti-Plakophilin 4 antibody (AA 1101-1192) (Biotin)



Go to	Product	page

()	1/0	r\ /1	014	
()	ve	I V I	-v	V

Quantity:	100 μL
Target:	Plakophilin 4 (PKP4)
Binding Specificity:	AA 1101-1192
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Plakophilin 4 antibody is conjugated to Biotin
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human Plakophilin 4
Isotype:	IgG
Cross-Reactivity:	Human
Predicted Reactivity:	Mouse,Rat,Dog,Cow,Sheep,Pig,Horse,Rabbit
Purification:	Purified by Protein A.

Target Details

Target:	Plakophilin 4 (PKP4)
Alternative Name:	Plakophilin 4 (PKP4 Products)

Target Details

•	
Background:	Synonyms: Catenin 4 , Catenin4 , FLJ31261 , FLJ42243 , p0071 , PKP 4 , PKP4 , PKP4_HUMAN ,
	Plakophilin-4, Plakophilin4.
	Background: Armadillo-like proteins are characterized by a series of armadillo repeats, first
	defined in the Drosophila 'armadillo' gene product, that are typically 42 to 45 amino acids in
	length. These proteins can be divided into subfamilies based on their number of repeats, their
	overall sequence similarity, and the dispersion of the repeats throughout their sequences.
	Members of the p120(ctn)/plakophilin subfamily of Armadillo-like proteins, including CTNND1,
	CTNND2, PKP1, PKP2, PKP4, and ARVCF. PKP4 may be a component of desmosomal plaque
	and other adhesion plaques and is thought to be involved in regulating junctional plaque
	organization and cadherin function. Multiple transcript variants encoding different isoforms
	have been found for this gene. [provided by RefSeq, Feb 2015]
Gene ID:	8502
UniProt:	Q99569
Pathways:	Cell-Cell Junction Organization
Application Details	
Application Notes:	WB 1:300-5000
	IHC-P 1:200-400
	IHC-F 1:100-500
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and
	50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be
	handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C for 12 months.

\vdash	land	lına
	iaria	шц

Expiry Date:

12 months