

Datasheet for ABIN6944599

anti-PLEKHA1 antibody (AA 111-210) (HRP)



Go to Product page

_					
	1//	r	Vİ	\triangle	۸/
	V		VI		/ V

Overview	
Quantity:	100 μL
Target:	PLEKHA1
Binding Specificity:	AA 111-210
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This PLEKHA1 antibody is conjugated to HRP
Application:	Western Blotting (WB), Immunohistochemistry (Frozen Sections) (IHC (fro)),
	Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))
Product Details	
Product Details Immunogen:	KLH conjugated synthetic peptide derived from human PLEKHA1
	KLH conjugated synthetic peptide derived from human PLEKHA1
lmmunogen:	
Immunogen: Isotype:	IgG
Immunogen: Isotype: Cross-Reactivity:	IgG Mouse
Immunogen: Isotype: Cross-Reactivity: Predicted Reactivity:	IgG Mouse Human,Rat,Cow,Sheep,Pig,Horse
Immunogen: Isotype: Cross-Reactivity: Predicted Reactivity: Purification:	IgG Mouse Human,Rat,Cow,Sheep,Pig,Horse

Target Details

•			
Background:	Synonyms: OTTHUMP00000020651, PH domain containing family A member 1, PH domain-		
	containing family A member 1, PKHA1_HUMAN, Pleckstrin homology domain containing family		
	A member 1, Pleckstrin homology domain containing, family A (phosphoinositide binding		
	specific) member, Pleckstrin homology domain-containing family A member 1, PLEKHA1,		
	Tandem PH domain containing protein 1, Tandem PH domain-containing protein 1, TAPP 1,		
	TAPP-1, TAPP1.		
	Background: This gene encodes a pleckstrin homology domain-containing adapter protein. The		
	encoded protein is localized to the plasma membrane where it specifically binds		
	phosphatidylinositol 3,4-bisphosphate. This protein may be involved in the formation of		
	signaling complexes in the plasma membrane. Polymorphisms in this gene are associated with		
	age-related macular degeneration. Alternate splicing results in multiple transcript variants. A		
	pseudogene of this gene is found on chromosome 5.[provided by RefSeq, Sep 2010]		
Gene ID:	59338		
UniProt:	Q9HB21		
Pathways:	Platelet-derived growth Factor Receptor Signaling		
Application Details			
Application Notes:	WB 1:300-5000		
	IHC-P 1:200-400		
	IHC-F 1:100-500		
Restrictions:	For Research Use only		
Handling			
Format:	Liquid		
Concentration:	1 μg/μL		
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and		
	50 % Glycerol.		
Preservative:	ProClin		
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be		
	handled by trained staff only.		
Storage:	-20 °C		

Handling

Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months