# antibodies -online.com





# anti-PLEKHA1 antibody (AA 111-210)



Go to Product page

$\sim$			
	N/P	r\/	i⊢₩

Quantity:	100 μL
Target:	PLEKHA1
Binding Specificity:	AA 111-210
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This PLEKHA1 antibody is un-conjugated
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunocytochemistry (ICC), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))

# Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human PLEKHA1
Isotype:	IgG
Cross-Reactivity:	Mouse
Predicted Reactivity:	Human,Rat,Cow,Sheep,Pig,Horse
Purification:	Purified by Protein A.

#### **Target Details**

|--|

# Target Details

Alternative Name:	PLEKHA1 (PLEKHA1 Products)	
Background:	Synonyms: OTTHUMP00000020651, PH domain containing family A member 1, PH domain-	
	containing family A member 1, PKHA1_HUMAN, Pleckstrin homology domain containing family	
	A member 1, Pleckstrin homology domain containing, family A (phosphoinositide binding	
	specific) member, Pleckstrin homology domain-containing family A member 1, PLEKHA1,	
	Tandem PH domain containing protein 1, Tandem PH domain-containing protein 1, TAPP 1,	
	TAPP-1, TAPP1.	
	Background: This gene encodes a pleckstrin homology domain-containing adapter protein. The	
	encoded protein is localized to the plasma membrane where it specifically binds	
	phosphatidylinositol 3,4-bisphosphate. This protein may be involved in the formation of	
	signaling complexes in the plasma membrane. Polymorphisms in this gene are associated with	
	age-related macular degeneration. Alternate splicing results in multiple transcript variants. A	
	pseudogene of this gene is found on chromosome 5.[provided by RefSeq, Sep 2010]	
Gene ID:	59338	
UniProt:	Q9HB21	
Pathways:	Platelet-derived growth Factor Receptor Signaling	
Application Details		
Application Notes:	WB 1:300-5000	
	IHC-P 1:200-400	
	IHC-F 1:100-500	
	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
	ICC 1:100-500	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.	
Preservative:	ProClin	

# Handling

Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.
Expiry Date:	12 months