antibodies -online.com







Go to Product page

\sim			
	N/P	r\/	i⊢₩

Quantity:	100 μL	
Target:	PTPN21	
Binding Specificity:	AA 171-270	
Reactivity:	Human, Mouse, Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This PTPN21 antibody is un-conjugated	
Application:	Western Blotting (WB), ELISA, Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunocytochemistry (ICC), Immunohistochemistry (Frozen Sections) (IHC (fro))	

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human PTPD1
Isotype:	IgG
Cross-Reactivity:	Human, Mouse, Rat
Predicted Reactivity:	Dog,Cow,Pig,Horse,Rabbit
Purification:	Purified by Protein A.

Target Details

Target: PTPN21

Target Details

Alternative Name:	PTPD1 (PTPN21 Products)	
Background:	Synonyms: Protein tyrosine phosphatase D1, Protein tyrosine phosphatase non receptor type	
	21, PTPN 21, PTPN21, PTN21_HUMAN, PTPNL, PTPRL10, Tyrosine protein phosphatase non	
	receptor type 21.	
	Background: The protein encoded by this gene is a member of the protein tyrosine phosphatase	
	(PTP) family. PTPs are known to be signaling molecules that regulate a variety of cellular	
	processes including cell growth, differentiation, mitotic cycle, and oncogenic transformation.	
	This PTP contains an N-terminal domain, similar to cytoskeletal- associated proteins including	
	band 4.1, ezrin, merlin, and radixin. This PTP was shown to specially interact with BMX/ETK, a	
	member of Tec tyrosine kinase family characterized by a multimodular structures including PH,	
	SH3, and SH2 domains. The interaction of this PTP with BMX kinase was found to increase the	
	activation of STAT3, but not STAT2 kinase. Studies of the similar gene in mice suggested the	
	possible roles of this PTP in liver regeneration and spermatogenesis. [provided by RefSeq, Jul	
	2008]	
Gene ID:	11099	
UniProt:	Q16825	
Application Details		
Application Notes:	WB 1:300-5000	
	ELISA 1:500-1000	
	IHC-P 1:200-400	
	IHC-F 1:100-500	
	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
	ICC 1:100-500	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.	

Handling

Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.
Expiry Date:	12 months