

#### Datasheet for ABIN6944767

# anti-RCAS1 antibody (AA 151-213) (AbBy Fluor® 750)



	er		

Quantity:	100 μL
Target:	RCAS1 (EBAG9)
Binding Specificity:	AA 151-213
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This RCAS1 antibody is conjugated to AbBy Fluor® 750
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

#### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human RCAS1	
Isotype:	IgG	
Cross-Reactivity:	Mouse	
Predicted Reactivity:	Human,Cow,Pig,Chicken,Rabbit	
Purification:	Purified by Protein A.	

## Target Details

Target:	RCAS1 (EBAG9)
Alternative Name:	RCAS1/EBAG9 (EBAG9 Products)

### Target Details

Background:	Synonyms: BAG9, Cancer associated surface antigen, Cancer associated surface antigen	
	RCAS1, EB9, EBAG 9, Estrogen receptor binding fragment associated gene 9 protein, Estrogen	
	receptor binding site associated antigen 9, PDAF, RCAS 1, RCAS1, Receptor binding cancer	
	antigen expressed on SiSo cells.	
	Background: This gene was identified as an estrogen-responsive gene. Regulation of	
	transcription by estrogen is mediated by estrogen receptor, which binds to the estrogen-	
	responsive element found in the 5'-flanking region of this gene. The encoded protein is a tumor-	
	associated antigen that is expressed at high frequency in a variety of cancers. This gene may	
	also participate in the suppression of cell proliferation and inducing apoptotic cell death	
	through activation of interleukin-1-beta converting enzyme (ICE)-like proteases. Alternate	
	splicing results in multiple transcript variants. A pseudogene of this gene has been defined on	
	chromosome 10.	
Gene ID:	9166	
UniProt:	000559	
Application Details		
Application Notes:	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and	
	50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
	handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	

	1	l:
-	ココロロ	urnen
	Hand	III IU

Expiry Date:

12 months