# antibodies .- online.com





## anti-SEMA3F antibody (AA 201-300)



( )	11/0	K\ /	iew	1
	$\cup$	ועוי	$\square \vee \vee$	ı

Quantity:	100 μL
Target:	SEMA3F
Binding Specificity:	AA 201-300
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This SEMA3F antibody is un-conjugated
Application:	Western Blotting (WB), ELISA

### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human Sema3F	
Isotype:	IgG	
Cross-Reactivity:	Mouse	
Predicted Reactivity:	Human,Rat,Dog,Cow,Sheep,Pig,Chicken,Rabbit	
Purification:	Purified by Protein A.	

## Target Details

Target:	SEMA3F	
Alternative Name:	Semaphorin 3F (SEMA3F Products)	
Background:	ckground: Synonyms: Semaphorin-3F, Semaphorin3F, Sema III/F, Sema IV, sema3F, SemaIII/F, Sem	

Semaphorin IV, SemaphorinIV, SEM3F\_HUMAN.

Background: The semaphorins are a family of proteins that are involved in signaling. All the family members have a secretion signal, a 500-amino acid sema domain, and 16 conserved cysteine residues(Kolodkin et al., 1993 [PubMed 8269517]). Sequence comparisons have grouped the secreted semaphorins into 3 general classes, all of which also have an immunoglobulin domain. The semaphorin III family, consisting of human semaphorin III (SEMA3A, MIM 603961), chicken collapsin, and mouse semaphorins A, D, and E, all have a basic domain at the C terminus. Chicken collapsin contributes to path finding by axons during development by inhibiting extension of growth cones (Luo et al., 1993 [PubMed 8402908]) through an interaction with a collapsin response mediator protein of relative molecular mass 62K (CRMP62) (Goshima et al., 1995 [PubMed7637782]), a putative homolog of an axonal guidance associated UNC33 gene product (MIM 601168). SEMA3F is a secreted member of the semaphorin III family.

Gene ID: 6405

UniProt: Q13275

Pathways: Regulation of Cell Size

#### **Application Details**

Application Notes: WB 1:300-5000

ELISA 1:500-1000

Restrictions: For Research Use only

## Handling

Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	0.01M TBS( pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.	

	l l	1:
-	เวทก	111111
	land	11110

Expiry Date:

12 months