antibodies -online.com





anti-VPS29 antibody (AA 21-120) (Alexa Fluor 647)



Go to Product page

\sim			
	N/P	r\/	i⊢₩

Quantity:	100 μL
Target:	VPS29
Binding Specificity:	AA 21-120
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This VPS29 antibody is conjugated to Alexa Fluor 647
Application:	Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunofluorescence (Cultured Cells) (IF (cc))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human VPS29
Isotype:	IgG
Specificity:	91 % homology with Rat VPS29 Protein
Cross-Reactivity:	Mouse
Predicted Reactivity:	Human,Dog,Cow,Sheep,Pig,Horse,Chicken,Rabbit,Zebrafish
Purification:	Purified by Protein A.

Target Details

Target Details

Alternative Name:	VPS29 (VPS29 Products)	
Background:	Synonyms: DC15, DC7, DKFZp564F0223, FLJ20492, hVPS29, PEP11, PEP11 homolog,	
	Retromer protein, Vacuolar protein sorting 29, Vacuolar protein sorting 29 (yeast homolog),	
	Vacuolar protein sorting 29 (yeast), Vacuolar protein sorting 29 homolog (S. cerevisiae),	
	Vacuolar protein sorting 29 homolog, Vacuolar protein sorting associated protein 29, Vacuolar	
	protein sorting-associated protein 29, Vacuolar sorting protein VPS29/PEP11, Vesicle protein	
	sorting 29, VPS 29, VPS29_HUMAN, x 007 protein.	
	Background: This gene belongs to a group of vacuolar protein sorting (VPS) genes that, when	
	functionally impaired, disrupt the efficient delivery of vacuolar hydrolases. The protein encoded	
	by this gene is a component of a large multimeric complex, termed the retromer complex,	
	which is involved in retrograde transport of proteins from endosomes to the trans-Golgi	
	network. This VPS protein may be involved in the formation of the inner shell of the retromer	
	coat for retrograde vesicles leaving the prevacuolar compartment. Alternative splice variants	
	encoding different isoforms and representing non-protein coding transcripts have been found	
	for this gene. [provided by RefSeq, Aug 2013]	
Gene ID:	51699	
JniProt:	Q9UBQ0	
Application Details		
Application Notes:	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 an	
	50 % Glycerol.	
	ProClin	
Preservative:	ProClin	

Handling

Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months