# antibodies .- online.com





# anti-VPS33B antibody (AA 361-460)



( )	1/0	r\ /1	014	
( )	ve	I V I	-v	V

Quantity:	100 μL
Target:	VPS33B
Binding Specificity:	AA 361-460
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This VPS33B antibody is un-conjugated
Application:	ELISA, Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffinembedded Sections) (IF (p)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro)), Immunocytochemistry (ICC)

#### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human VPS33B
Isotype:	IgG
Cross-Reactivity:	Mouse
Predicted Reactivity:	Human,Rat,Dog,Cow,Sheep,Horse,Chicken,Rabbit
Purification:	Purified by Protein A.

#### **Target Details**

## Target Details

Alternative Name:	VPS33B (VPS33B Products)	
Background:	Synonyms: FLJ14848, hVPS 33B, hVPS33B, Vacuolar protein sorting 33 homolog B (yeast),	
	Vacuolar protein sorting 33 homolog B, Vacuolar protein sorting 33B (yeast), Vacuolar protein	
	sorting 33B, Vacuolar protein sorting associated protein 33B, VPS 33B.	
	Background: Vesicle mediated protein sorting plays an important role in segregation of	
	intracellular molecules into distinct organelles. Genetic studies in yeast have identified more	
	than 40 vacuolar protein sorting (VPS) genes involved in vesicle transport to vacuoles. This	
	gene is a member of the Sec-1 domain family, and encodes the human ortholog of rat Vps33b	
	which is homologous to the yeast class C Vps33 protein. The mammalian class C vacuolar	
	protein sorting proteins are predominantly associated with late endosomes/lysosomes, and like	
	their yeast counterparts, may mediate vesicle trafficking steps in the endosome/lysosome	
	pathway. Mutations in this gene are associated with arthrogryposis-renal dysfunction-	
	cholestasis syndrome. Alternative splicing results in multiple transcript variants. [provided by	
	RefSeq, Jan 2014]	
Gene ID:	608552	
UniProt:	Q9H267	
Application Details		
Application Notes:	ELISA 1:500-1000	
	IHC-P 1:200-400	
	IHC-F 1:100-500	
	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
	ICC 1:100-500	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.	
Preservative:	ProClin	

## Handling

Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.	
Expiry Date:	12 months	