antibodies - online.com





anti-PVALB antibody



Overview

Clonality:

Application:



Go to Product page

Quantity:	100 μg
Target:	PVALB
Reactivity:	Rat
Host:	Mouse

Conjugate: This PVALB antibody is un-conjugated

Western Blotting (WB), ELISA, Immunohistochemistry (IHC), Immunofluorescence (IF),

Immunocytochemistry (ICC)

Monoclonal

Product Details

Immunogen:	Synthetic peptide from the full length Rat Parvalbumin protein
Clone:	C12
Isotype:	lgG2a
Specificity:	Retina. Expressed throughout the horizontal cells and/or terminals.,Detects 12 kDa.
Cross-Reactivity:	Human, Mouse, Rat
Purification:	Protein A Purified

Target Details

Target:	PVALB
Alternative Name:	parvalbumin (PVALB Products)

Target Details	
Background:	Parvalbumin is involved in calcium signaling. Alterations in the function of parvalbumin- expressing neurons hav been implicated in Alzheimer's, autism, schizophrenia, age-related cognitive defects and some forms of cancer (1).
Gene ID:	25269
NCBI Accession:	NP_071944
UniProt:	P02625
Application Details	
Application Notes:	 WB (1:500) optimal dilutions for assays should be determined by the user.
Comment:	A 1:500 dilution of ABIN6951993 was sufficient for detection of Parvalbumin in 15 ug of Rat Brain by ECL immunoblot analysis using goat anti-mouse IgG:HRP as the secondary antibody.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 mg/mL
Buffer:	PBS pH 7.4, 50 % glycerol, 0.09 % Sodium azide, Storage buffer may change when conjugated

This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which

Preservative:

Storage:

Precaution of Use:


Storage Comment:


Sodium azide

-20 °C

-20°C

should be handled by trained staff only.





Immunohistochemistry

Image 1. Immunohistochemistry analysis using Mouse Anti-Parvalbumin Monoclonal Antibody, Clone C12 (ABIN6951993). Tissue: Thyroid Cancer. Species: Human. Primary Antibody: Mouse Anti-Parvalbumin Monoclonal Antibody (ABIN6951993) at 1:100 for Overnight at 4C, then 30 min at 37C. Secondary Antibody: Goat Anti-Mouse IgG (H+L): FITC for 45 min at 37C. Counterstain: DAPI for 3 min at RT. Magnification: 5X.

Immunohistochemistry

Image 2. Immunohistochemistry analysis using Mouse Anti-Parvalbumin Monoclonal Antibody, Clone C12 (ABIN6951993). Tissue: Thyroid. Species: Mouse. Primary Antibody: Mouse Anti-Parvalbumin Monoclonal Antibody (ABIN6951993) at 1:100 for Overnight at 4C, then 30 min at 37C. Secondary Antibody: Goat Anti-Mouse IgG (H+L): FITC for 45 min at 37C. Counterstain: DAPI for 3 min at RT. Magnification: 5X.