

Datasheet for ABIN6952617

ACE2 Protein (His tag)

3 Images

[Go to Product page](#)

Overview

Quantity:	50 µg
Target:	ACE2
Origin:	Cynomolgus
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This ACE2 protein is labelled with His tag.
Application:	SDS-PAGE (SDS), ELISA

Product Details

Purpose:	Cynomolgus ACE2 / ACEH Protein, His Tag
Sequence:	AA 18-741
Characteristics:	Cynomolgus ACE2, His Tag is expressed from human 293 cells (HEK293). It contains AA Gln 18 - Thr 741 (Accession # A0A2K5X283-1). Predicted N-terminus: His This protein carries a polyhistidine tag at the N-terminus.
Purity:	>95 % as determined by SDS-PAGE.
Sterility:	0.2 µm filtered
Endotoxin Level:	Less than 1.0 EU per µg by the LAL method.

Target Details

Target:	ACE2
---------	------

Target Details


Alternative Name:	ACE2 (ACE2 Products)
Background:	Angiotensin-converting enzyme 2 (ACE2) is also known as ACEH (ACE homolog), is an integral membrane protein with considerable homologous to ACE, which belongs to the peptidase M2 family. ACE2 is an exopeptidase that catalyses the conversion of angiotensin I to the nonapeptide angiotensin, or the conversion of angiotensin II to angiotensin 1-7. ACE2 may be an important regulator of heart function. In case of human coronaviruses SARS and HCoV-NL63 infections, ACE-2 serve as functional receptor for the spike glycoprotein of both coronaviruses. ACE2 is activated by chloride and fluoride, but not bromide and Inhibited by MLN-4760, cFP_Leu, and EDTA, but not by the ACE inhibitors lisinopril, captopril and enalaprilat. ACE2 is active from pH 6 to 9, and the optimum pH is 6.5 in the presence of 1 M NaCl.
Molecular Weight:	85.7 kDa
NCBI Accession:	XP_005593094
Pathways:	ACE Inhibitor Pathway , Peptide Hormone Metabolism , Regulation of Systemic Arterial Blood Pressure by Hormones , Feeding Behaviour

Application Details

Application Notes:	Optimal working dilution should be determined by the investigator.
Restrictions:	For Research Use only


Handling

Format:	Liquid
Buffer:	50 mM Tris, 150 mM NaCl, Arginine, pH 7.5
Handling Advice:	Please avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	This product is stable after storage at: The product MUST be stored at -70°C or lower upon receipt, -70°C for 3 months under sterile conditions.




SDS-PAGE

Image 1. Cynomolgus ACE2, His Tag on SDS-PAGE under reducing (R) condition. The gel was stained overnight with Coomassie Blue. The purity of the protein is greater than 95 % .



ELISA

Image 2. Immobilized Cynomolgus ACE2, His Tag (ABIN6952617) at 2 µg/mL (100 µL/well) can bind Biotinylated SARS-CoV-2 S protein RBD, His,Avitag (ABIN6952456) with a linear range of 2-78 ng/mL (QC tested).



ELISA

Image 3. Immobilized Cynomolgus ACE2, His Tag (ABIN6952617) at 2 µg/mL (100 µL/well) can bind Biotinylated SARS-CoV-2 S1 protein, His,Avitag (ABIN6952457) with a linear range of 0.005-0.313 µg/mL (Routinely tested).