

## Datasheet for ABIN6963750

# anti-Interferon gamma antibody (PromoFluor-488 Premium)





	Go to Product page

_				
()	ve.	rv/	101	Λ

Quantity:	100 tests
Target:	Interferon gamma (IFNG)
Reactivity:	Rabbit
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This Interferon gamma antibody is conjugated to PromoFluor-488 Premium
Application:	Flow Cytometry (FACS)

#### **Product Details**

Immunogen:	Recombinant rabbit IFN-gamma
Clone:	MT318
Isotype:	lgG2a
Specificity:	Native and recombinant IFN-γ
Purification:	Purified from in vitro cultures by protein G affinity chromatography.

## **Target Details**

Target:	Interferon gamma (IFNG)
Alternative Name:	IFNG (IFNG Products)
Gene ID:	100008602
Pathways:	Interferon-gamma Pathway, Cellular Response to Molecule of Bacterial Origin, Regulation of

Leukocyte Mediated Immunity, Positive Regulation of Immune Effector Process, Production of Molecular Mediator of Immune Response, ER-Nucleus Signaling, Regulation of Carbohydrate Metabolic Process, Protein targeting to Nucleus, Autophagy

# **Application Details**

#### Application Notes:


Detection of IFN- $\gamma$  producing cells by flow cytometry. 5 µL is recommended for staining of 1 million cells in a total volume of 50 µL. Detection of IFN- $\gamma$  by flow cytometry in viable rabbit spleen cells. Cells were stimulated for 5 hours in the presence of PMA/ionomycin and Brefeldin A. Cells were then fixed and permeabilized using 4 % paraformaldehyde and saponin, and subsequently stained with CD8-PE and MT318-PF488P (right panel). The left panel depicts cells stained with a matched isotype control antibody. The dot plots derive from gated events of typical lymphocyte characteristics in forward and side light scatter. Flow cytometry was performed on a BD FACSVerse system.

Restrictions:

For Research Use only

#### Handling

Format:	Liquid
Buffer:	in PBS with 0.2 % BSA and 0.09 % sodium azide
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store product at 4-8°C or frozen at -20°C or below. Avoid repeated freezing/thawing.
Expiry Date:	18 months



## **Flow Cytometry**

**Image 1.** Detection of IFN-γ by flow cytometry in viable rabbit spleen cells. Stimulated, fixed and permeabilized cells were stained with anti-rabbit CD8-PE and anti-rabbit mAb MT318-PF488P (right panel). Matched isotype control antibody (left panel). Flow cytometry was performed on a BD FACSVerse system.