antibodies - online.com







KIT Protein (AA 26-520) (His tag)

Images



Overview

Quantity:	100 μg
Target:	KIT
Protein Characteristics:	AA 26-520
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This KIT protein is labelled with His tag.

Product Details

Purpose:	Recombinant human CD117 protein with C-terminal 6xHis tag
Specificity:	CD117 (Gln26-Thr520) 6xHis tag
Characteristics:	Extracellular Domain Protein
Purification:	Purified from cell culture supernatant by affinity chromatography
Purity:	The purity of the protein is greater than 95 % as determined by SDS-PAGE and Coomassie blue staining.

Target Details

Target:	KIT
Alternative Name:	CD117 (KIT Products)
Background:	This gene encodes a receptor tyrosine kinase. This gene was initially identified as a homolog of

the feline sarcoma viral oncogene v-kit and is often referred to as proto-oncogene c-Kit. The canonical form of this glycosylated transmembrane protein has an N-terminal extracellular region with five immunoglobulin-like domains, a transmembrane region, and an intracellular tyrosine kinase domain at the C-terminus. Upon activation by its cytokine ligand, stem cell factor (SCF), this protein phosphorylates multiple intracellular proteins that play a role in in the proliferation, differentiation, migration and apoptosis of many cell types and thereby plays an important role in hematopoiesis, stem cell maintenance, gametogenesis, melanogenesis, and in mast cell development, migration and function. This protein can be a membrane-bound or soluble protein. Mutations in this gene are associated with gastrointestinal stromal tumors, mast cell disease, acute myelogenous leukemia, and piebaldism. Multiple transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, May 2020]

Molecular Weight:

predicted molecular mass of 56.5 kDa after removal of the signal peptide. The apparent molecular mass of CD117-His is 70-100 kDa due to glycosylation.

Gene ID:

3815

UniProt:

P10721

Pathways:

RTK Signaling, Fc-epsilon Receptor Signaling Pathway, EGFR Signaling Pathway, Neurotrophin Signaling Pathway, Sensory Perception of Sound, Stem Cell Maintenance, Production of Molecular Mediator of Immune Response, Regulation of long-term Neuronal Synaptic Plasticity

Application Details

Restrictions:


For Research Use only


Handling

Format:	Lyophilized
Buffer:	Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8 % trehalose is added as protectants before lyophilization.
Storage:	-20 °C,-80 °C
Storage Comment:	Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.
Expiry Date:	12 months

Human CD117, His tagged protein ELISA

 $0.2~\mu g$ of Human CD117, His tagged protein per well





ELISA

Image 1. ELISA plate pre-coated by 1 μ g/mL (100 μ L/well) Human CD117, His tagged protein (ABIN6964116) can bind Human SCF, hFc tagged protein in a linear range of 3.2-400 ng/mL.

SDS-PAGE

Image 2. Human CD117 Protein, His Tag on SDS-PAGE under reducing condition.