

# Datasheet for ABIN6964129 IL4 Receptor Protein (AA 26-232) (Fc Tag)

2 Images



Overview

Quantity:	100 µg
Target:	IL4 Receptor (IL4R)
Protein Characteristics:	AA 26-232
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This IL4 Receptor protein is labelled with Fc Tag.

## Product Details


Purpose:	Recombinant human IL4RA Protein with C-terminal Human Fc tag
Specificity:	IL4RA (Met26-His232) hFc (Glu99-Ala330)
Characteristics:	Extracellular Domain Protein
Purification:	Purified from cell culture supernatant by affinity chromatography
Purity:	The purity of the protein is greater than 95 % as determined by SDS-PAGE and Coomassie blue
	staining.


### Target Details

Target:	IL4 Receptor (IL4R)
Alternative Name:	IL4RA (IL4R Products)
Background:	This gene encodes the alpha chain of the interleukin-4 receptor, a type I transmembrane protein

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN6964129 | 07/25/2024 | Copyright antibodies-online. All rights reserved.

	that can bind interleukin 4 and interleukin 13 to regulate IgE production. The encoded protein also can bind interleukin 4 to promote differentiation of Th2 cells. A soluble form of the encoded protein can be produced by proteolysis of the membrane-bound protein, and this soluble form can inhibit IL4-mediated cell proliferation and IL5 upregulation by T-cells. Allelic variations in this gene have been associated with atopy, a condition that can manifest itself as allergic rhinitis, sinusitus, asthma, or eczema. Polymorphisms in this gene are also associated with resistance to human immunodeficiency virus type-1 infection. Alternate splicing results in
	multiple transcript variants.
Molecular Weight:	predicted molecular mass of 49.9 kDa after removal of the signal peptide.The apparent molecular mass of IL4RA-hFc is 55-70 kDa due to glycosylation.
UniProt:	P24394
Pathways:	JAK-STAT Signaling, Positive Regulation of Immune Effector Process
Application Details	
Restrictions:	For Research Use only
Handling	
Format:	Lyophilized
Buffer:	Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8 % trehalose is added as protectants before lyophilization.
Storage:	-20 °C,-80 °C
Storage Comment:	Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.
Expiry Date:	12 months





### ELISA

**Image 1.** ELISA plate pre-coated by 2 μg/mL (100 μL/well) Human IL4RA Protein, hFc Tag(ABIN6964129, ABIN7042537 and ABIN7042538) can bind Anti-IL4RA antibody, IgG1 Chimeric mAb in a linear range of 16.0-400 ng/mL.

#### SDS-PAGE

**Image 2.** Human IL4RA Protein, hFc Tag on SDS-PAGE under reducing condition.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN6964129 | 07/25/2024 | Copyright antibodies-online. All rights reserved.