# antibodies -online.com





## PSCA Protein (AA 12-86) (His tag, AVI tag, Biotin)



### Image



(	Go	to I	Pro	duct	pac	ie .

$\sim$			
	$  \backslash / \square  $	r\/I	$\triangle V$

Quantity:	200 μg
Target:	PSCA
Protein Characteristics:	AA 12-86
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This PSCA protein is labelled with His tag,AVI tag,Biotin.
Product Details	
Specificity:	Biotinylation of this product is performed using Avitag™ technology. Briefly, the single lysine
	residue in the Avitag is enzymatically labeled with biotin.
Characteristics:	Biotinylated Human PSCA Protein, His,Avitag™ (MALS verified)
Purity:	>90 % as determined by SDS-PAGE.
Endotoxin Level:	Less than 1.0 EU per μg by the LAL method.
Target Details	
Target:	PSCA
Alternative Name:	PSCA (PSCA Products)
Background:	The Prostate stem cell antigen (PSCA) is a glycosylphosphatidylinositol (GPI)-anchored protein,
	plays an important role in tumorigenesis. The prostate stem cell antigen (PSCA) gene, which encodes a prostate-specific antigen (PSA), was identified as a gene involved in cell adhesion
	choodes a prostate specific antigen (1 0A), was identified as a gene involved in cell duffesion

#### **Target Details**

and proliferation. PSCA may be involved in the regulation of cell proliferation. Has a cellproliferation inhibition activity in vitro. May act as a modulator of nicotinic acetylcholine receptors (nAChRs) activity. In vitro inhibits nicotine-induced signaling probably implicating alpha-3:beta-2- or alpha-7-containing nAChRs.

Molecular Weight:

12.1 kDa

#### **Application Details**

Application Notes:	MALS verified
Comment:	Ready-to-use Avitag™ biotinylated protein:
	The product is exclusively produced using the Avitag™ technology. Briefly, a unique 15 amino
	acid peptide, the Avi tag, is introduced into the recombinant protein during expression vector
	construction. The single lysine residue in the Avi tag is enzymatically biotinylated by the E. Coli
	biotin ligase BirA.


This single-point enzymatic labeling technique brings many advantages for commonly used binding assays. The biotinylation happens on the lysine residue of Avi tag, and therefore does NOT interfere with the target protein's natural binding activities. In addition, when immobilized on an avidin-coated surface, the protein orientation is uniform because the position of the Avi tag in the protein is precisely controlled.

Restrictions:

For Research Use only

#### Handling

Format:	Lyophilized	
Buffer:	PBS, pH 7.4	
Storage:	-20 °C	



#### **SDS-PAGE**

**Image 1.** Biotinylated Human PSCA, His,Avitag on under reducing (R) condition. The gel was stained overnight with Coomassie Blue. The purity of the protein is greater than 90 %.