
antibodies .- online.com





anti-TAF1A antibody (AA 21-120) (AbBy Fluor® 350)



GO to Froduct page

()	11/0	K\ /	iew
	\cup	'I V/I	$I \cap VV$

Quantity:	100 μL	
Target:	TAF1A	
Binding Specificity:	AA 21-120	
Reactivity:	Human, Rat, Mouse	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This TAF1A antibody is conjugated to AbBy Fluor® 350	
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human TAF1A
Isotype:	IgG
Cross-Reactivity:	Human, Mouse, Rat
Purification:	Purified by Protein A.

Target Details

Target:	TAF1A
Alternative Name:	TAF1A (TAF1A Products)
ackground: Synonyms: TATA box-binding protein-associated factor RNA polymerase I subunit A, TAF1	

RNA polymerase I-specific TBP-associated factor 48 kDa, TAFI48, BP-associated factor 1A,	
Transcription factor SL1, Transcription initiation factor SL1/TIF-IB subunit A	
${\tt Background: Component\ of\ the\ transcription\ factor\ SL1/TIF-IB\ complex,\ which\ is\ involved\ in\ the}$	
assembly of the PIC (preinitiation complex) during RNA polymerase I-dependent transcription.	
The rate of PIC formation probably is primarily dependent on the rate of association of SL1/TIF- α	
IB with the rDNA promoter. SL1/TIF-IB is involved in stabilization of nucleolar transcription	
factor 1/UBTF on rDNA. Formation of SL1/TIF-IB excludes the association of TBP with TFIID	
subunits.	

Gene ID: 9015

UniProt: Q15573

Application Details

Application Notes:	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200

Restrictions: For Research Use only

Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months