# antibodies -online.com





## anti-KPNA4 antibody (AA 1-100) (Alexa Fluor 350)



Go to Product page

| $\sim$ |    |    |    |             |   |
|--------|----|----|----|-------------|---|
| ()     | VE | ۲۱ | /1 | $\triangle$ | Λ |

| Quantity:            | 100 μL   |  |
|----------------------|--|--|
| Target:              | KPNA4  |  |
| Binding Specificity: | AA 1-100   |  |
| Reactivity:          | Mouse  |  |
| Host:                | Rabbit   |  |
| Clonality:           | Polyclonal   |  |
| Conjugate:           | This KPNA4 antibody is conjugated to Alexa Fluor 350   |  |
| Application:         | Western Blotting (WB), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunofluorescence (Cultured Cells) (IF (cc)) |  |

#### **Product Details**

| Immunogen:            | KLH conjugated synthetic peptide derived from human KPNA4 |  |
|-----------------------|---|--|
| Isotype:              | IgG   |  |
| Cross-Reactivity:     | Mouse   |  |
| Predicted Reactivity: | Human,Rat,Cow,Horse,Chicken                               |  |
| Purification:         | Purified by Protein A.                                    |  |

### Target Details

| Target:           | KPNA4                  |
|-------------------|------------------------|
| Alternative Name: | KPNA4 (KPNA4 Products) |

### Target Details

| Background:         | Synonyms: Importin subunit alpha-3, KPNA4, Importin alpha Q1, Qip1, Karyopherin subunit                    |  |
|---------------------|--|--|
|                     | alpha-4, QIP1  |  |
|                     | Background: Functions in nuclear protein import as an adapter protein for nuclear receptor                 |  |
|                     | KPNB1. Binds specifically and directly to substrates containing either a simple or bipartite NLS           |  |
|                     | motif. Docking of the importin/substrate complex to the nuclear pore complex (NPC) is                      |  |
|                     | mediated by KPNB1 through binding to nucleoporin FxFG repeats and the complex is                           |  |
|                     | subsequently translocated through the pore by an energy requiring, Ran-dependent                           |  |
|                     | mechanism. At the nucleoplasmic side of the NPC, Ran binds to importin-beta and the three                  |  |
|                     | components separate and importin-alpha and -beta are re-exported from the nucleus to the                   |  |
|                     | cytoplasm where GTP hydrolysis releases Ran from importin. The directionality of nuclear                   |  |
|                     | import is thought to be conferred by an asymmetric distribution of the GTP- and GDP-bound                  |  |
|                     | forms of Ran between the cytoplasm and nucleus. In vitro, mediates the nuclear import of                   |  |
|                     | human cytomegalovirus UL84 by recognizing a non-classical NLS. In vitro, mediates the nuclear              |  |
|                     | import of human cytomegalovirus UL84 by recognizing a nonclassical NLS.                                    |  |
| Gene ID:            | 3840   |  |
| UniProt:            | 000629   |  |
| Pathways:           | Protein targeting to Nucleus   |  |
| Application Details |  |  |
| Application Notes:  | IF(IHC-P) 1:50-200   |  |
|                     | IF(IHC-F) 1:50-200   |  |
|                     | IF(ICC) 1:50-200   |  |
| Restrictions:       | For Research Use only  |  |
| Handling            |  |  |
| Format:             | Liquid   |  |
| Concentration:      | 1 μg/μL  |  |
| Buffer:             | Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol. |  |
|                     | ProClin  |  |
| Preservative:       | Proclin  |  |

## Handling

| Storage:         | -20 °C   |  |
|------------------|--|--|
| Storage Comment: | Storage Comment: Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles. |  |
| Expiry Date:     | 12 months  |  |