antibodies -online.com





anti-IVD antibody (AA 201-300) (Alexa Fluor 350)



Go to Product page

\sim					
	1/6	⊃r	\/I	\triangle	٨/

Quantity:	100 μL	
Target:	IVD	
Binding Specificity:	AA 201-300	
Reactivity:	Human, Mouse	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This IVD antibody is conjugated to Alexa Fluor 350	
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human IVD	
Isotype:	IgG	
Cross-Reactivity:	Human, Mouse	
Predicted Reactivity:	Rat,Dog,Cow,Sheep,Pig,Horse,Rabbit	
Purification:	Purified by Protein A.	

Target Details

Target:	IVD
Alternative Name:	IVD (IVD Products)

Target Details

. a. got 2 otao		
Background:	Synonyms: ACAD2, Isovaleryl-CoA dehydrogenase, mitochondrial, IVD	
	Background: Isovaleryl-CoA dehydrogenase (IVD) is a mitochondrial matrix enzyme that	
	catalyzes the third step in leucine catabolism. The genetic deficiency of IVD results in an	
	accumulation of isovaleric acid, which is toxic to the central nervous system and leads to	
	isovaleric acidemia. Alternatively spliced transcript variants encoding different isoforms have	
	been found for this gene. [provided by RefSeq, Apr 2009]	
Gene ID:	3712	
UniProt:	P26440	
Pathways:	Monocarboxylic Acid Catabolic Process	
Application Details		
Application Notes:	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	
Expiry Date:	12 months	