

[Go to Product page](#)

Datasheet for ABIN6976906

**anti-DAK antibody (AA 101-200) (Alexa Fluor 350)**

## Overview

Quantity:	100 µL
Target:	DAK
Binding Specificity:	AA 101-200
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This DAK antibody is conjugated to Alexa Fluor 350
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

## Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human DAK
Isotype:	IgG
Cross-Reactivity:	Human
Predicted Reactivity:	Mouse,Rat,Dog,Cow,Sheep,Pig,Horse,Rabbit
Purification:	Purified by Protein A.

## Target Details

Target:	DAK
Alternative Name:	DAK ( <a href="#">DAK Products</a> )

## Target Details

Background:	<p>Synonyms: Triokinase/FMN cyclase, TKFC, Triokinase/FMN cyclase, Bifunctional ATP-dependent dihydroxyacetone kinase/FAD-AMP lyase (cyclizing), ATP-dependent dihydroxyacetone kinase, DHA kinase, Glycerone kinase, Triokinase, Triose kinase, FAD-AMP lyase (cyclizing), FAD-AMP lyase (cyclic FMN forming), FMN cyclase</p> <p>Background: Catalyzes both the phosphorylation of dihydroxyacetone and of glyceraldehyde, and the splitting of ribonucleoside diphosphate-X compounds among which FAD is the best substrate. Represses IFIH1-mediated cellular antiviral response.</p>
Gene ID:	26007
UniProt:	<a href="#">Q3LXA3</a>

## Application Details

Application Notes:	<p>IF(IHC-P) 1:50-200</p> <p>IF(IHC-F) 1:50-200</p> <p>IF(ICC) 1:50-200</p>
Restrictions:	For Research Use only

## Handling

Format:	Liquid
Concentration:	1 µg/µL
Buffer:	Aqueous buffered solution containing 0.01M TBS ( pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months