

### Datasheet for ABIN6977265

# anti-JNK1/2 antibody (AA 131-230) (AbBy Fluor® 488)



(	۱۱/	e	r\/	Ì١		۱۸	
	, v	$\cup$	V	1	$\overline{}$	V	V

Overview	
Quantity:	100 μL
Target:	JNK1/2
Binding Specificity:	AA 131-230
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This JNK1/2 antibody is conjugated to AbBy Fluor® 488
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))
Product Details	
Immunogen:	KLH conjugated synthetic peptide derived from human JNK1+JNK2
Isotype:	IgG
Cross-Reactivity:	Human, Mouse, Rat
Predicted Reactivity:	Dog,Cow,Sheep,Pig,Rabbit
Purification:	Purified by Protein A.
Target Details	
Target:	JNK1/2
Alternative Name:	JNK1+JNK2 (JNK1/2 Products)

Background:

Synonyms: JNK1 + JNK2, JNK1 + 2, JNK1/2, c Jun N terminal kinase 1, JNK1, JNK2, JAK 1A, JAK1A, JNK 1, JNK 46, JNK, JNK1A2, JNK21B1/2, MAPK 8, MAPK8, Mitogen activated protein kinase 8, PRKM 8, PRKM8, Protein kinase JNK1, SAPK 1, SAPK gamma, SAPK1, c-Jun, Stress activated protein kinase JNK1, Tyrosine protein kinase JAK1, MK08\_HUMAN.

Background: The protein encoded by this gene is a member of the MAP kinase family. MAP kinases act as an integration point for multiple biochemical signals, and are involved in a wide variety of cellular processes such as proliferation, differentiation, transcription regulation and development. This kinase is activated by various cell stimuli, and targets specific transcription factors, and thus mediates immediate-early gene expression in response to cell stimuli. The activation of this kinase by tumor-necrosis factor alpha (TNF-alpha) is found to be required for TNF-alpha induced apoptosis. This kinase is also involved in UV radiation induced apoptosis, which is thought to be related to cytochrom c-mediated cell death pathway. Studies of the mouse counterpart of this gene suggested that this kinase play a key role in T cell proliferation, apoptosis and differentiation. Five alternatively spliced transcript variants encoding distinct isoforms have been reported. [provided by RefSeq, Jun 2013]

Gene ID: 5599

UniProt: P45983

#### **Application Details**

Application Notes:

IF(IHC-P) 1:50-200

IF(IHC-F) 1:50-200

IF(ICC) 1:50-200

Restrictions:

For Research Use only

#### Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.

## Handling

Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months