

Datasheet for ABIN6977343

anti-Fibronectin 1 antibody (AA 2201-2300) (AbBy Fluor® 488)



Go to Product page

\sim				
	1//	Д	rv	۱۸/

Quantity:	100 μL	
Target:	Fibronectin 1 (FN1)	
Binding Specificity:	AA 2201-2300	
Reactivity:	Human, Mouse, Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This Fibronectin 1 antibody is conjugated to AbBy Fluor® 488	
Application:	Western Blotting (WB), Immunofluorescence (Paraffin-embedded Sections) (IF (p)),	
	Immunofluorescence (Cultured Cells) (IF (cc))	
Product Details		
Immunogen:	KLH conjugated synthetic peptide derived from human Fibronectin/Ugl-Y3	
Isotype:		
	IgG	
Cross-Reactivity:	IgG Human, Mouse, Rat	
Cross-Reactivity: Predicted Reactivity:		
•	Human, Mouse, Rat	
Predicted Reactivity:	Human, Mouse, Rat Dog,Cow,Pig,Horse,Chicken,Rabbit	
Predicted Reactivity: Purification:	Human, Mouse, Rat Dog,Cow,Pig,Horse,Chicken,Rabbit	

Target Details

Background:	Synonyms: CIG, Cold insoluble globulin, DKFZp686F10164, DKFZp686H0342, DKFZp686I1370,		
	DKFZp686013149, ED B, ED-B, fibronectin 1, FINC, FN 1, FN, FN1, FNZ, GFND, GFND2, LETS,		
	Migration stimulating factor, MSF, Transformation sensitive protein, FINC_HUMAN, Fibronectin,		
	Cold-insoluble globulin, Ugl-Y3.		
	Background: This gene encodes fibronectin, a glycoprotein present in a soluble dimeric form in		
	plasma, and in a dimeric or multimeric form at the cell surface and in extracellular matrix.		
	Fibronectin is involved in cell adhesion and migration processes including embryogenesis,		
	wound healing, blood coagulation, host defense, and metastasis. The gene has three regions		
	subject to alternative splicing, with the potential to produce 20 different transcript variants.		
	However, the full-length nature of some variants has not been determined. [provided by RefSeq,		
	Jul 2008].		
Gene ID:	2335		
UniProt:	P02751		
Pathways:	Cellular Response to Molecule of Bacterial Origin, Carbohydrate Homeostasis, Autophagy		
Application Details			
Application Notes:	IF(IHC-P) 1:50-200		
	IF(IHC-F) 1:50-200		
	IF(ICC) 1:50-200		
Restrictions:	For Research Use only		
Handling			
Format:	Liquid		
Concentration:	1 μg/μL		
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and		
	50 % Glycerol.		
Preservative:	ProClin		
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be		
	handled by trained staff only.		
Ctorogo	-20 °C		
Storage:			

	_	
-	II	1:
-	-222	nnc
-	Hand	1111()

Expiry Date:

12 months