antibodies .- online.com







anti-ADAP2 antibody (AA 201-300) (Alexa Fluor 488)



()	1/0	r\ / I	014	
()	ve	I V I	-v	V

Quantity:	100 μL
Target:	ADAP2
Binding Specificity:	AA 201-300
Reactivity:	Human, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ADAP2 antibody is conjugated to Alexa Fluor 488
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

Product Details

Cross-Reactivity: Human, Rat	Immunogen:	KLH conjugated synthetic peptide derived from human Centaurin alpha 2
Cross-Reactivity: Human, Rat	Isotype:	IgG
	Specificity:	Possible cross-reactivity with ADAP1 (85 % homology with the immunogen sequence, 43 kDa)
Predicted Reactivity: Mouse Dog Cow Sheep Pig Horse Rabbit	Cross-Reactivity:	Human, Rat
i redicted redictivity.	Predicted Reactivity:	Mouse,Dog,Cow,Sheep,Pig,Horse,Rabbit
Purification: Purified by Protein A.	Purification:	Purified by Protein A.

Target Details

Target:	ADAP2		

Target Details

Alternative Name:	Centaurin alpha 2 (ADAP2 Products)
Background:	Synonyms: ADAP2, ADAP2_HUMAN, Arf-GAP with dual PH domain-containing protein 2, ArfGAP
	with dual PH domains 2, cent b, Centa 2, CENTA2, Centaurin alpha 2, Centaurin alpha 2 protein,
	Centaurin beta, Centaurin-alpha-2, Cnt-a2, HSA272195.
	Background: The ADP-ribosylation factor (ARF) family of small GTP-binding proteins are
	involved in vesicular transport regulation and in controlling cytoskeletal organization and cell
	adhesion. The Centaurin GTPase-activating protein family comprise a subset of ARF regulatory
	molecules that transduce PI 3-kinase activation into coordinated control of ARF-dependent
	pathways. This family includes ASAP1, ACAP1, ACAP2, AGAP1, ARAP1, ARAP2, Centaurin a1,
	Centaurin g3 and the recently discovered Centaurin a2. Expressed in a wide variety of tissues
	such as fat, heart and skeletal muscle, Centaurin a2 is thought to negatively regulate ARF-
	mediated actin rearrangement by binding activated PI 3-kinase. Although the exact function of
	Centaurin a2 is not yet known, its high sequence similarity with Centaurin a1 suggests that it
	may also act as an ARF6 GTPase.
Gene ID:	55803
UniProt:	Q9NPF8
Application Details	
Application Notes:	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and
	50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be
	handled by trained staff only.

Handling

Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months