antibodies .- online.com





anti-FCRL1 antibody (AA 251-350) (AbBy Fluor® 488)



Go to Product page

\sim			
	N/P	r\/I	$\Theta \backslash \Lambda /$

Quantity:	100 μL
Target:	FCRL1
Binding Specificity:	AA 251-350
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This FCRL1 antibody is conjugated to AbBy Fluor® 488
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human FCRL1
Isotype:	IgG
Predicted Reactivity:	Human
Purification:	Purified by Protein A.

Target Details

Target:	FCRL1	
Alternative Name:	FCRL1 (FCRL1 Products)	
Background:	Synonyms: CD307a, Fc receptor homolog 1, Fc receptor like protein 1, Fc receptor-like protein	

FcR like protein 1, FcR-like protein 1, FCRH 1, FcRH1, FCRL 1, FcRL1, FCRL1_HUMAN, hIFGP	1,
hIFGP1, IFGP 1, IFGP family protein 1, IFGP1, Immune receptor translocation associated pro	tein
5, Immune receptor translocation-associated protein 5, immunoglobulin superfamily Fc	
receptor, gp42, IRTA 5, IRTA5, RP11 367J7.7.	

Background: This gene encodes a member of the immunoglobulin receptor superfamily and is one of several Fc receptor-like glycoproteins clustered on the long arm of chromosome 1. The encoded protein contains three extracellular C2-like immunoglobulin domains, a transmembrane domain and a cytoplasmic domain with two immunoreceptor-tyrosine activation motifs. This protein may play a role in the regulation of cancer cell growth. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Apr 2009]

Gene ID:	115350
UniProt:	Q96LA6

Application Details

Application Notes:	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months