

Datasheet for ABIN6977703

anti-PTPN12 antibody (AA 1-100) (AbBy Fluor® 488)



Overview

| Quantity: | 100 μL |
|-----------------------|--|
| Target: | PTPN12 |
| Binding Specificity: | AA 1-100 |
| Reactivity: | Human |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This PTPN12 antibody is conjugated to AbBy Fluor® 488 |
| Application: | Western Blotting (WB), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunofluorescence (Cultured Cells) (IF (cc)) |
| Product Details | |
| Immunogen: | KLH conjugated synthetic peptide derived from human PTPN12 |
| Isotype: | IgG |
| Cross-Reactivity: | Human |
| Predicted Reactivity: | Mouse,Rat,Dog,Cow,Sheep,Pig,Horse,Chicken,Rabbit |
| Purification: | Purified by Protein A. |
| Target Details | |
| Target: | PTPN12 |
| Alternative Name: | PTPN12 (PTPN12 Products) |

Target Details

| Background: | Synonyms: Protein tyrosine phosphatase G1, Protein tyrosine phosphatase non receptor type | |
|---------------------|---|--------|
| | 12, Protein-tyrosine phosphatase G1, PTN12_HUMAN, PTP PEST, PTP-PEST, PTPG1, Ptpn12, | |
| | Tyrosine protein phosphatase non receptor type 12, Tyrosine-protein phosphatase non-receptor | |
| | type 12. | |
| | Background: The protein encoded by this gene is a member of the protein tyrosine phosphatase | |
| | (PTP) family. PTPs are signaling molecules that regulate a variety of cellular processes | |
| | including cell growth, differentiation, mitotic cycle, and oncogenic transformation. This PTP | |
| | contains a C-terminal PEST motif, which serves as a protein-protein interaction domain, and may regulate protein intracellular half-life. This PTP was found to bind and dephosphorylate the product of the oncogene c-ABL and thus may play a role in oncogenesis. This PTP was also shown to interact with, and dephosphorylate, various products related to cytoskeletal structure and cell adhesion, such as p130 (Cas), CAKbeta/PTK2B, PSTPIP1, and paxillin. This suggests it has a regulatory role in controlling cell shape and mobility. Alternative splicing results in | |
| | | |
| | | |
| | | |
| Gene ID: | | 5782 |
| UniProt: | | Q05209 |
| Application Details | | |
| Application Notes: | IF(IHC-P) 1:50-200 | |
| | IF(IHC-F) 1:50-200 | |
| | IF(ICC) 1:50-200 | |
| Restrictions: | For Research Use only | |
| Handling | | |
| Format: | Liquid | |
| Concentration: | 1 μg/μL | |
| Buffer: | Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and | |
| | 50 % Glycerol. | |
| Preservative: | ProClin | |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be | |
| | handled by trained staff only. | |
| Storage: | -20 °C | |
| | | |

Handling

| Storage Comment: | Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles. |
|------------------|---|
| Expiry Date: | 12 months |