



[Go to Product page](#)

Datasheet for ABIN6978464

## anti-Latrophilin 1 antibody (AA 201-300) (AbBy Fluor® 555)

### Overview

Quantity:	100 µL
Target:	Latrophilin 1 (LPHN1)
Binding Specificity:	AA 201-300
Reactivity:	Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Latrophilin 1 antibody is conjugated to AbBy Fluor® 555
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

### Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human LPHN1
Isotype:	IgG
Cross-Reactivity:	Rat
Predicted Reactivity:	Human,Mouse,Dog,Cow,Pig,Horse,Rabbit
Purification:	Purified by Protein A.

### Target Details

Target:	Latrophilin 1 (LPHN1)
Alternative Name:	LPHN1 ( <a href="#">LPHN1 Products</a> )

## Target Details

---

Background:	<p>Synonyms: Calcium independent alpha latrotoxin receptor 1, Calcium-independent alpha-latrotoxin receptor 1, CIRL-1, CIRL1, CL1, CLIBA, G protein-coupled receptor for alpha-Latrotoxin, KIAA0821, Latrophilin 1, Latrophilin-1, Latrophilin1, LEC2, Lectomedin 2, Lectomedin-2, LPHN 1, LPHN1, LPHN1_HUMAN.</p> <p>Background: This gene encodes a member of the latrophilin subfamily of G-protein coupled receptors (GPCR). Latrophilins may function in both cell adhesion and signal transduction. In experiments with non-human species, endogenous proteolytic cleavage within a cysteine-rich GPS (G-protein-coupled-receptor proteolysis site) domain resulted in two subunits (a large extracellular N-terminal cell adhesion subunit and a subunit with substantial similarity to the secretin/calcitonin family of GPCRs) being non-covalently bound at the cell membrane.</p> <p>Latrophilin-1 has been shown to recruit the neurotoxin from black widow spider venom, alpha-latrotoxin, to the synapse plasma membrane. Alternative splicing results in multiple variants encoding distinct isoforms.[provided by RefSeq, Oct 2008]</p>
-------------	---

---

Gene ID:	22859
----------	-------

---

UniProt:	<a href="#">O94910</a>
----------	------------------------

---

Pathways:	<a href="#">Synaptic Membrane</a> , <a href="#">Synaptic Vesicle Exocytosis</a>
-----------	---

## Application Details

---

Application Notes:	IF(IHC-P) 1:50-200 IF(IHC-F) 1:50-200 IF(ICC) 1:50-200
--------------------	--

---

Restrictions:	For Research Use only
---------------	-----------------------

## Handling

---

Format:	Liquid
---------	--------

---

Concentration:	1 µg/µL
----------------	---------

---

Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
---------	--

---

Preservative:	ProClin
---------------	---------

---

Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
--------------------	--

---

Storage:	-20 °C
----------	--------

---

## Handling

---

Storage Comment: Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.

---

Expiry Date: 12 months