

Datasheet for ABIN6978548

anti-PSMD14 antibody (AA 221-310) (AbBy Fluor® 555)[Go to Product page](#)

Overview

Quantity:	100 µL
Target:	PSMD14
Binding Specificity:	AA 221-310
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This PSMD14 antibody is conjugated to AbBy Fluor® 555
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human PSMD14
Isotype:	IgG
Cross-Reactivity:	Human, Mouse, Rat
Predicted Reactivity:	Cow, Sheep, Pig, Horse, Chicken, Rabbit, Zebrafish
Purification:	Purified by Protein A.

Target Details

Target:	PSMD14
Alternative Name:	PSMD14 (PSMD14 Products)

Target Details

Background:	Synonyms: 26S proteasome non-ATPase regulatory subunit 14, 26S proteasome regulatory subunit rpn11, 26S proteasome-associated PAD1 homolog 1, 26S proteasome-associated PAD1 homolog, PAD1, PAD1, yeast, homolog of, POH1, Proteasome (prosome, macropain) 26S subunit, non-ATPase, 14, Proteasome 26S subunit non ATPase 14, PSDE_HUMAN, Psmd14, RPN11. Background: This gene encodes a component of the 26S proteasome. The 26S proteasome is a large multiprotein complex that catalyzes the degradation of ubiquitinated intracellular proteins. The encoded protein is a component of the 19S regulatory cap complex of the 26S proteasome and mediates substrate deubiquitination. A pseudogene of this gene is also located on the long arm of chromosome 2. [provided by RefSeq, Feb 2012]
Gene ID:	10213
UniProt:	O00487
Pathways:	Mitotic G1-G1/S Phases , DNA Replication , M Phase , Positive Regulation of Endopeptidase Activity , Synthesis of DNA , Ubiquitin Proteasome Pathway

Application Details

Application Notes:	IF(IHC-P) 1:50-200 IF(IHC-F) 1:50-200 IF(ICC) 1:50-200
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	1 µg/µL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.

Handling

Expiry Date: 12 months