## antibodies -online.com





## anti-TNP1 antibody (AA 201-300) (Alexa Fluor 555)



Go to Product page

Overview		
Quantity:	100 μL	
Target:	TNP1	
Binding Specificity:	AA 201-300	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This TNP1 antibody is conjugated to Alexa Fluor 555	
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	
Product Details		
Immunogen:	KLH conjugated synthetic peptide derived from mouse Transition Protein 1	
Isotype:	IgG	
Cross-Reactivity:	Human	
Predicted Reactivity:	Mouse,Rat,Dog,Cow,Sheep,Horse,Rabbit	
Purification:	Purified by Protein A.	
Target Details		

Transition Protein 1 (TNP1 Products)

TNP1

Target:

Alternative Name:

## **Target Details**

Background:	Synonyms: 551G9.2, Anti Eukaryotic Release Factor 3a, Anti G1 to S phase transition 1, Anti		
	GST1, homolog of yeast, eRF 3a, eRF3a, G1 to S phase transition 1, G1 to S phase transition		
	protein 1 homolog, G1 to S phase transition protein, GSPT 1, GSPT1, GST 1, GST1, GTP binding		
	protein GST1 HS, Transition protein 1, ERF3A_MOUSE.		
	Background: eRF3a is a 499 amino acid protein that belongs to the GTP-binding elongation		
	factor family and is involved in the regulation of cell growth, specifically via control of		
	translation termination. Human eRF3a shares 94 % sequence identity with its mouse		
	counterpart, suggesting a conserved function between species. The gene encoding eRF3a		
	maps to human chromosome 16, which encodes over 900 genes and comprises nearly 3 $\%$ of		
	the human genome. The GAN gene is located on chromosome 16 and, with mutation, may lead		
	to giant axonal neuropathy, a nervous system disorder characterized by increasing malfunction		
	with growth. The rare disorder Rubinstein-Taybi syndrome is also associated with chromosome		
	16, as is Crohn's disease, which is a gastrointestinal inflammatory condition.		
Gene ID:	14852		
UniProt:	P15170		
Application Details			
Application Notes:	IF(IHC-P) 1:50-200		
	IF(IHC-F) 1:50-200		
	IF(ICC) 1:50-200		
Restrictions:	For Research Use only		
Handling			
Format:	Liquid		
Concentration:	1 μg/μL		
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and		
	50 % Glycerol.		
Preservative:	ProClin		
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be		
	handled by trained staff only.		
Storage:	-20 °C		
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.		

		1.	
$\vdash$	land	lın	
	ıaııu	1111	U

Expiry Date:

12 months