

Datasheet for ABIN6978751

anti-S1PR5 antibody (AA 1-100) (AbBy Fluor® 555)[Go to Product page](#)

Overview

Quantity:	100 µL
Target:	S1PR5
Binding Specificity:	AA 1-100
Reactivity:	Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This S1PR5 antibody is conjugated to AbBy Fluor® 555
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human EDG8
Isotype:	IgG
Cross-Reactivity:	Rat
Predicted Reactivity:	Human,Mouse,Dog,Pig
Purification:	Purified by Protein A.

Target Details

Target:	S1PR5
Alternative Name:	EDG8 (S1PR5 Products)

Target Details

Background:	Synonyms: EDG 8, Endothelial differentiation G protein coupled receptor 8, Endothelial differentiation G-protein-coupled receptor 8, Endothelial Differentiation Gene 8, Endothelial differentiation sphingolipid G protein coupled receptor 8, S1P receptor 5, S1P receptor Edg 8, S1P receptor Edg-8, S1P receptor Edg8, S1P5, S1PR5, S1PR5_HUMAN, Sphingosine 1 Phosphate Receptor 5, Sphingosine 1 phosphate receptor Edg 8, Sphingosine 1 phosphate receptor Edg8, Sphingosine 1-phosphate receptor 5, Sphingosine 1-phosphate receptor Edg-8, SPPR 1, SPPR 2, SPPR1, SPPR2. Background: Receptor for the lysosphingolipid sphingosine 1-phosphate (S1P). S1P is a bioactive lysophospholipid that elicits diverse physiological effect on most types of cells and tissues. Is coupled to both the G(i/o)alpha and G(12) subclass of heteromeric G-proteins (By similarity). May play a regulatory role in the transformation of radial glial cells into astrocytes and may affect proliferative activity of these cells.
-------------	--

Gene ID:	53637
----------	-------

UniProt:	Q9H228
----------	------------------------

Application Details

Application Notes:	IF(IHC-P) 1:50-200 IF(IHC-F) 1:50-200 IF(ICC) 1:50-200
--------------------	--

Restrictions:	For Research Use only
---------------	-----------------------

Handling

Format:	Liquid
Concentration:	1 µg/µL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.

Handling

Expiry Date: 12 months