antibodies .- online.com





Datasheet for ABIN6978887

anti-PDE3B antibody (AA 451-550) (Alexa Fluor 555)



\sim					
()	VE	۲۱	/1	\triangle	Λ

Quantity:	100 μL	
Target:	PDE3B	
Binding Specificity:	AA 451-550	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This PDE3B antibody is conjugated to Alexa Fluor 555	
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human PDE3B	
Isotype:	IgG	
Cross-Reactivity:	Human	
Predicted Reactivity:	Mouse,Rat,Dog,Pig,Horse,Rabbit	
Purification:	Purified by Protein A.	

Target Details

Target:	PDE3B
Alternative Name:	PDE3B (PDE3B Products)

Target Details

•		
Background:	Synonyms: 5"-cyclic phosphodiesterase B, Adipocyte cAMP phosphodiesterase cGMP inhibited,	
	Al847709, cAMP Phosphodiesterase, adipocyte, cGMP-inhibited, CGI-PDE B, CGIP1, CGIPDE B,	
	CGIPDE1, cGMP inhibited 3 5 cyclic phosphodiesterase B, CGMP inhibited cAMP	
	phophodiesterase, cGMP-inhibited 3", Cyclic GMP inhibited phosphodiesterase B, Cyclic GMP-	
	inhibited phosphodiesterase B, Cyclic nucleotide phosphodiesterase, HcGIP1, HcGIP1, rat,	
	homolog of, Pde3b, PDE3B_HUMAN, Phosphodiesterase 3B cGMP inhibited.	
	Background: PDE3B is found in lymphocytes. The PDE7A1 (HCP1) isozyme and the PDE7A2	
	proteins, alternate splice products of PDE7A, are highly expressed in skeletal muscle. PDE7B is	
	most highly expressed in pancreas. The PDE family contains proteins that serve tissue-specific	
	roles in regulation of lipolysis, glycogenolysis, myocardial contractility, and smooth muscle	
	relaxation.	
Gene ID:	5140	
UniProt:	Q13370	
Pathways:	Negative Regulation of Hormone Secretion, Carbohydrate Homeostasis, cAMP Metabolic	
	Process	
Application Details		
Application Notes:	IF(IHC-P) 1:50-200	
- I - I - I - I - I - I - I - I - I - I	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and	
	50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
	handled by trained staff only.	
Storage:	-20 °C	

Handling

Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months