antibodies .- online.com





anti-FOXP4 antibody (AA 1-100) (AbBy Fluor® 594)



Go to Product page

/ N	1	-	K	/1	01	A /
	1//	\vdash	1 \	/ I	e	\/\/
\sim	٧.	\sim	1 V		\sim	v v

Quantity:	100 μL
Target:	FOXP4
Binding Specificity:	AA 1-100
Reactivity:	Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This FOXP4 antibody is conjugated to AbBy Fluor® 594
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human FOXP4
Isotype:	IgG
Cross-Reactivity:	Rat
Predicted Reactivity:	Human,Mouse,Dog,Cow,Sheep,Horse,Chicken,Rabbit
Purification:	Purified by Protein A.

Target Details

Target:	FOXP4
Alternative Name:	FOXP4 (FOXP4 Products)

Target Details

Storage Comment:

ranget Betane	
Background:	Synonyms: 1200010K03Rik, 2310007G05Rik, FKHLA, FLJ40908, FLJ44184, Fork head related
	protein like A, Fork head-related protein-like A, Forkhead box P4, Forkhead box protein P4, FOX
	P4, FOXP 4, foxp4, FOXP4_HUMAN, hFKHLA, mFKHLA, OTTHUMP00000016374,
	OTTHUMP00000039784, OTTHUMP00000043412, OTTHUMP00000043536, Winged helix
	repressor FOX P4, Winged helix repressor FOXP 4, Winged helix repressor FOXP4.
	Background: This gene belongs to subfamily P of the forkhead box (FOX) transcription factor
	family. Forkhead box transcription factors play important roles in the regulation of tissue- and
	cell type-specific gene transcription during both development and adulthood. Many members of
	the forkhead box gene family, including members of subfamily P, have roles in mammalian
	oncogenesis. This gene may play a role in the development of tumors of the kidney and larynx.
	Alternative splicing of this gene produces multiple transcript variants, some encoding different
	isoforms. [provided by RefSeq, Jul 2008]
Gene ID:	116113
UniProt:	Q8IVH2
Application Details	
Application Notes:	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and
	50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be
	handled by trained staff only.
Storage:	-20 °C

Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.

		1.	
\vdash	land	lın	
	ıaııu	1111	L

Expiry Date:

12 months